

SAS

UNIVERSAL MAINTENANCE LUBRICANT

For over 35 years S-A-S Universal Maintenance Lubricant has been the choice of automotive and engineering professionals. Suitable for a vast range of applications including: cleaning, penetration, moisture displacement, lubrication and rust prevention. An oil based lubricant comparable with market leading brands.



Penetrates & Lubricates
Quickly loosens rusted nuts and bolts



Silicone-Free Formula
Safe for use in body shops



Cleans & Degreases
Breaks down dirt and grime



Displaces Moisture
Inhibits rust and corrosion



Contains PTFE
Reduces friction and wear



UNIVERSAL MAINTENANCE LUBRICANT

500ml aerosol can.
Advanced formula with rust inhibitors and moisture displacers.

- Penetrates & Lubricates.
- Frees Seized Parts Fast!
- Cleans & Degreases.
- Inhibits Rust & Corrosion.
- Protects All Metals.
- Silicone-Free Formula.



The 500 ml aerosol contains a 360° valve which means it can be sprayed at any angle, even upside down, making it the ideal maintenance lubricant for a vast range of projects.

Also available in the range:



SAS

GREASE & LUBRICANTS

A comprehensive range of automotive and industrial Grease & Lubricants, covering the vast majority of industry applications. The range has been developed to perform above and beyond its purpose, the main reason many S-A-S products have multi uses.

A complete range of bulk grease products are now available. See our website for more information.

Also available in the range:



CLEAR GREASE

500ml aerosol can.
For use on areas requiring a tenacious lubricant whilst retaining a good cosmetic appearance e.g. car door locks.

- Silicone-free formula - Safe for use in bodyshops.
- Anti water wash-out properties.
- Stable to 500°C.



WHITE GREASE WITH PTFE

500ml aerosol can.
Universal grease with almost limitless applications e.g. locks, hinges and striker plates. Suitable for clean area applications.

- Anti water wash-out properties.
- Provides visual check where used.
- Anti-corrosive.
- Silicone-free formula - Safe for use in bodyshops.



COPPER GREASE

500ml aerosol can.
Stable up to 275°C as a grease and up to 1200°C as a release agent.

- Ideal for high temp applications: brakes, hand brake linkages, exhaust manifold studs and wheel nuts.
- Can be used on boilers and water heaters, e.g. inspection flanges and to lubricate moving parts in heat treatment industry.



SILICONE SPRAY

500ml aerosol can.
Use as a mould release and for easing slip-fitting part assembly. Use on surfaces where heat is present, e.g. heat sealing machines. Imparts waterproofing qualities to fabrics, e.g. tarpaulins and industrial outdoor clothing.

- Low stain formula.
- Zero effect on plastics.
- Stable to 275°C.
- Lowers friction, prevents sticking.



CHAIN & CABLE LUBE

500ml aerosol can.
For heavyweight drive chains e.g. fork-lift truck masts and motor cycle chains.

- Penetrating, anti-fling formula - Ideal for use on heavyweight drive chains & bearings.
- Contains graphite - Reduces wear and increases chain life.
- Rubber friendly - Safe for rubber O-rings and seals.



EXTREME UNIVERSAL MAINTENANCE LUBRICANT

500ml aerosol can.
Meets the requirements of MoD specification 68-10 [PX-24] and NATO C-634 for water-displacing corrosion preventatives.

- Improved corrosion protection vs standard multi-purpose lubricants
- High concentration of water displacement additives mean it can be applied directly to wet surfaces
- Virtually colourless & transparent
- Excellent lubrication properties

SAS

CLEANING & MAINTENANCE

Our comprehensive range of Cleaning & Maintenance products have been designed to cater for all automotive and industrial requirements.

A complementary range of bulk products is also available for selected products. See our website for more information.



BRAKE CLEANER

500ml aerosol can.
Cleans brake and clutch parts without dismantling.

- Removes brake fluid, oil, dust, etc.
- Helps maximise brake efficiency.
- Prevents objectionable dust escaping into the working environment.



THROTTLE BODY CLEANER

500ml aerosol can.
For all types of carburettors and fuel injection systems. No effect on lambda sensors or catalytic converters.

- Removes tars and gum build-up.
- Improves performance and economy.



LABEL & GUM REMOVER

500ml aerosol can.
A versatile solvent cleaner with a fast acting universal formula.

- Removes sticker glue, masking tape, clear adhesive tape and tar.
- Will NOT affect most plastics & lacquers.



Also available in the range:



ELECTRICAL CLEANER

500ml aerosol can.
Removes oil, tar, grease and helps remove carbon residues.

- Improves conductivity and helps prevent arcing and electrical breakdown.
- For all heavy duty electrical components e.g. switch gear, motors and relays.



LEAK DETECTOR

500ml aerosol can.
For detecting leaks in pneumatic systems and compression lock fittings.

- Safe for use during engine operation.
- Meets the requirements of BS EN14291:2004 - LPG Safe.
- Non-flammable water based fluid.
- Suitable for nitrogen gas; NOT suitable for Oxyacetylene.

SAS



PAINTS & PRIMERS

A professional quality range of Paints & Primers to cater for industrial and automotive applications with outstanding coverage and durability, the first choice for many professionals.

Also available in the range:



GLOSS BLACK PAINT

500ml aerosol can.
Tough acrylic formula.
Suitable for cellulose or synthetic paints.

- Great results with fewer coats.
- Fast drying - 10 minutes between coats.
- Hard in 24 hours.



SATIN BLACK PAINT

500ml aerosol can.
Tough acrylic formula.
Suitable for cellulose or synthetic paints.

- Great results with fewer coats.
- Fast drying - 10 minutes between coats.
- Hard in 24 hours.



MATT BLACK PAINT

500ml aerosol can.
Tough acrylic formula.
Suitable for cellulose or synthetic paints.

- Great results with fewer coats.
- Fast drying - 10 minutes between coats.
- Hard in 24 hours.



GREY PRIMER

500ml aerosol can.
Tough acrylic formula.
Suitable for metal, wood and plastic.

- Provides a durable base, which can be oversprayed in 24 hours.
- Can be overpainted with cellulose, acrylic, alkyd, polyurethane alkyd and epoxy.
- Great results with fewer coats.



RED OXIDE PRIMER

500ml aerosol can.
Tough acrylic formula.
Suitable for metal, wood and plastic.

- Provides a durable base, which can be oversprayed in 24 hours.
- Can be overpainted with cellulose, acrylic, alkyd, polyurethane alkyd and epoxy.
- Great results with fewer coats.



LINE MARKER

750ml aerosol can.
A permanent, quick drying and durable acrylic paint. Ideally suited for use with line marking equipment, stencils or for free hand application.

- Suitable For Use On: Concrete, tarmac, steel, grass and wood
- Quick drying, 30-40 minutes will withstand light traffic
- Through dry in 24 hours

SAS

VEHICLE VALETING

A comprehensive range of professional quality Vehicle Valeting products to clean and maintain appearances inside and out.

A range of concentrated 5 litre bulk, trade valeting products is also available. See our website for more information.

Also available in the range:



GLASS CLEANER

500ml aerosol can.
Highly effective cleaning power removes dust, finger marks, stains and odours.

- Cleans hard surfaces, including glass, ceramics and perspex.
- Provides a streak-free finish.
- Brilliant shine formula.



MULTI-PURPOSE FOAM CLEANER

500ml aerosol can.
Use on upholstery, curtains, fabrics and hard surfaces; e.g. computer casings, office furniture.

- Instant foaming action lifts dirt.
- Easily wiped away.
- Removes nicotine stains.
- Ideal for use in offices, cars and public service vehicles.



MULTI SHINE

500ml aerosol can.
Designed for use in body shops or adjacent to paint spray areas.

- A silicone-free alternative to 'Cockpit Spray'.
- Gives an attractive, satin sheen to surfaces.
- Ideal for matt finish dashboard/interiors.

SAS



UNIVERSAL MAINTENANCE LUBRICANT

- Penetrates & Lubricates
Quickly loosens rusted nuts and bolts
- Silicone Free Formula
Safe for use in paint shops
- Cleans & Degreases
Breaks down grease, dirt and grime
- Displaces Moisture
Inhibits rust and corrosion
- Contains PTFE
Reduces friction and wear

WWW.SAS-RANGE.COM