Ring EV Charging Cables

RING

Type 1
Single Phase

Type 1
Vehicle: 5 Pin

Type 2
Charging unit: 7 Pin

Charge time from 4 hours

RING EV Charging Cable
1 Phase - Type 2 to Type 1
IP65 and IK10 rated. Suitable for all fully electric and plug in hybrid vehicles. Supplied with a compact, heavy duty storage case.
- **5m long pure copper cable**
- **Operating temperature -40℃ to 85℃**

Part No.	Qty	Voltage	Amps Output	Wattage
EVRCC11605	1	**240V**	16A	3.6kWh
EVRCC13205	1	**240V**	32A	7.2kWh

1 Phase 16A charge times: 30kWh Battery - 8 hours. 60kWh Battery - 16 hours. 90kWh Battery - 24 hours.
1 Phase 32A charge times: 30kWh Battery - 4 hours. 60kWh Battery - 8 hours. 90kWh Battery - 12 hours.

RING

Type 2
Single Phase

Type 2
Vehicle: 7 Pin

Type 2
Charging unit: 7 Pin

Charge time from 4 hours

RING EV Charging Cable
1 Phase - Type 2 to Type 2
IP65 and IK10 rated. Suitable for all fully electric and plug in hybrid vehicles. Supplied with a compact, heavy duty storage case.
- **5m long pure copper cable**
- **Operating temperature -40℃ to 85℃**

Part No.	Qty	Voltage	Amps Output	Wattage
EVRCC21605	1	**240V**	16A	3.6kWh
EVRCC23205	1	**240V**	32A	7.2kWh

1 Phase 16A charge times: 30kWh Battery - 8 hours. 60kWh Battery - 16 hours. 90kWh Battery - 24 hours.
1 Phase 32A charge times: 30kWh Battery - 4 hours. 60kWh Battery - 8 hours. 90kWh Battery - 12 hours.

RING

Type 2
Three Phase

Type 2
Vehicle: 7 Pin

Type 2
Charging unit: 7 Pin

Charge time from 1.5 hours

RING EV Charging Cable
3 Phase 32A - Type 2 to Type 2
IP65 and IK10 rated. Suitable for electric and plug in vehicles. Supplied with a compact, heavy duty storage case.
- **5m long pure copper cable**
- **Operating temperature -40℃ to 85℃**

Part No.	Qty	Voltage	Amps Output	Wattage
EVRCC23P05	1	**480V**	32A	22kWh

3 Phase 32A charge times: 30kWh Battery - 1.5 hours. 60kWh Battery - 3 hours. 90kWh Battery - 4.5 hours.

RING

Type 2
UK Mains Power

Type 2
Vehicle: 7 Pin

UK 3 Pin Plug
Charging Outlet

Charge time from 10 hours

RING EV Charging Cable
3-pin Plug to Type 2
Suitable for all Type 2 fully electric and plug in hybrid vehicles. LCD Screen shows length of charge and power consumption. Supplied with a compact, heavy duty storage case.
- **5m long cable**
- **Operating temperature -25℃ to 45℃**

Part No.	Qty	Voltage	Current	Max Power
EVRPC20A05	1	**240V**	6/10/13A	3kWh

13A charge times 3kWh: 30kWh Battery - 10 hours. 60kWh Battery - 20 hours. 90kWh Battery - 30 hours.
10A charge times 2.3kWh: 30kWh Battery - 13 hours. 60kWh Battery - 26 hours. 90kWh Battery - 39 hours.