

workshop warehouse

®

HOSE CLIPS

Ace
Advanced • Connections • Europe



**HOSE CLIPS | DISPENSER RACKS | MINICLAMPS | T-BOLTS
BANDING SYSTEMS | P-CLIPS | 'O' CLIPS | CV BOOT CLIPS**

ACTIONS, MEANS & OBJECTIVES

ACE have been manufacturing hose clamps since 2004. Our priority is to provide our industrial partners and distributors with stable and uncompromising quality, meeting their multiple needs.

ACE engineers and technicians, equipped with the best production and control technologies, ensure the maintenance of this quality and the permanent improvement of ACE clips.

The Ace range, now one of the most complete on the market, meets the requirements of all sectors of activity, in strict compliance with standards.


We provide our distributors with quality, innovative, international packaging that is easy to use for them and their customers. Our action aims every day to provide them with attentive and efficient service.



QUALITY CONTROL



Spark spectrometer
Analysis of the chemical composition of steels: raw materials and finished products



CNC machines
Manufacture of tools



Elongation of metals
elasticity and rupture of raw materials and strips

CONTENTS

W1 HOSE CLIPS & DISPENSER RACKS

- ▶ Non-Perforated Hose Clips
- ▶ Hose Clip Dispenser Rack with Pipe Clips
- ▶ Gravity Fed Hose Clip Dispenser Rack
- ▶ Chimney Box Dispenser Rack

Page 4
Page 5
Page 6
Page 7



W1 & W4 BRITISH TYPE HOSE CLIPS & DISPENSER RACKS

- ▶ British Type W1 Hose Clips & Dispenser Rack
- ▶ British Type W4 Hose Clips & Dispenser Rack

Page 8
Page 9



W4 STAINLESS STEEL HOSE CLIPS & DISPENSER RACKS

- ▶ Non-Perforated Hose Clips
- ▶ Hose Clip Dispenser Rack with Pipe Clips

Page 10
Page 11



W2 STAINLESS STEEL BANDING SYSTEM

- ▶ Non-Perforated Hose Clips

Page 12



W1 & W4 MINICLAMPS & DISPENSER RACKS

- ▶ W1 Miniclamps & Dispenser Rack
- ▶ W4 Stainless Steel Miniclamps & Dispenser Rack

Page 13
Page 13



W1 W2 W4 T-BOLTS & DISPENSER RACK

- ▶ W1 T-Bolts & Dispenser Rack
- ▶ W2 Stainless Steel T-Bolts
- ▶ W4 Stainless Steel T-Bolts

Page 14
Page 15
Page 15



W1 P-CLIPS, 'O' CLIPS & W4 CV BOOT CLIPS

- ▶ W1 P-Clips
- ▶ W1 Twin Ear 'O' Clips
- ▶ W4 Stainless Steel CV Boot Clips




Page 16
Page 17
Page 17



W1 & W4 HOSE CLIP DISPENSERS

Page 18 & 19

ACE Colour Codes

 All white zinc plated carbon Steel BLUE White Galvanised Steel Clamps	 Bands and Cases: chrome steel AISI 430 (17C) / white zinc plated carbon steel screws GREEN Mixed Steel Clamps	 100% stainless steel (AISI 304/A2) RED 100% Stainless Steel Clamps
---	--	--

Hose Clips - Worm Drive Non Perforated band 9 / 12 mm Band



DESCRIPTION:
Band, housing and screw: white zinc plated steel.
No chromium VI treatment.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

USES:
Miscellaneous repairs and assembly, industries, automotive & domestic uses

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4 Nm
Width 12 mm : 5 Nm

9 mm BAND WIDTH. SCREW:

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1025	12 (000)	8 - 12 mm	9 mm	10
ACE1026	16 (M00)	10 - 16 mm	9 mm	10
ACE1027	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE1028	27 (0X)	16 - 27 mm	9 mm	10
ACE1029	32 (1A)	20 - 32 mm	9 mm	10
ACE1030	35 (1)	23 - 35 mm	9 mm	10
ACE1031	40 (1X)	25 - 40 mm	9 mm	10
ACE1032	45 (1M)	30 - 45 mm	9 mm	10
ACE1033	50 (2A)	32 - 50 mm	9 mm	10
ACE1034	60 (2 & 2X)	40 - 60 mm	9 mm	10
ACE1035	70 (3)	50 - 70 mm	9 mm	10
ACE1036	80 (3X)	60 - 80 mm	9 mm	10
ACE1037	90 (4)	70 - 90 mm	9 mm	10
ACE1038	100 (4X)	80 - 100 mm	9 mm	10
ACE1039		90 - 110 mm	9 mm	10
ACE1040	120 (5)	100 - 120 mm	9 mm	10
ACE1042	140 (6)	120 - 140 mm	9 mm	10

MINI CLIPS - PIPE CLIPS SCREW:

PART NO.	SIZE Ø mm*	QTY
ACE1362	07 -11 mm	10
ACE1363	10 -19 mm	10

12 mm BAND WIDTH. SCREW:

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1102	27 (0X)	16 - 27 mm	12 mm	10
ACE1103	32 (1A)	20 - 32 mm	12 mm	10
ACE1104	35 (1)	23 - 35 mm	12 mm	10
ACE1105	40 (1X)	25 - 40 mm	12 mm	10
ACE1106	45 (1M)	30 - 45 mm	12 mm	10
ACE1107	50 (2A)	32 - 50 mm	12 mm	10
ACE1108	60 (2 & 2X)	40 - 60 mm	12 mm	10
ACE1109	70 (3)	50 - 70 mm	12 mm	10
ACE1110	80 (3X)	60 - 80 mm	12 mm	10
ACE1111	90 (4)	70 - 90 mm	12 mm	10
ACE1112	100 (4X)	80 - 100 mm	12 mm	10
ACE1114	120 (5)	100 - 120 mm	12 mm	10
ACE1116	140 (6)	120 - 140 mm	12 mm	10
ACE1118	160 (7)	140 - 160 mm	12 mm	10
ACE1120		160 - 180 mm	12 mm	5

**Hose Clip Driver
7 mm Flexi Driver**

PART NO.	SIZE	LENGTH	QTY
ACE6020	7 mm	280 mm	1

Hose Clip Dispenser Rack - With Pipe Clips 9 / 12 mm Band



DESCRIPTION:
Hose clip dispenser rack with pipe clips.
Band, housing and screw: white zinc plated mild steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

CONTAINS:
Hose Clips: 10 of each size:
12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).

Pipe Clips: 20 of each size:
7 - 11 mm, 10 - 19 mm

See Top-Up packs below.

PART NO.	QTY
ACE1361	Set of 140

TOP-UP PACKS SCREW:

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1025	12 (000)	8 - 12 mm	9 mm	10
ACE1026	16 (M00)	10 - 16 mm	9 mm	10
ACE1027	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE1102	27 (0X)	16 - 27 mm	12 mm	10
ACE1103	32 (1A)	20 - 32 mm	12 mm	10
ACE1104	35 (1)	23 - 35 mm	12 mm	10
ACE1105	40 (1X)	25 - 40 mm	12 mm	10
ACE1106	45 (1M)	30 - 45 mm	12 mm	10
ACE1107	50 (2A)	32 - 50 mm	12 mm	10
ACE1108	60 (2 & 2X)	40 - 60 mm	12 mm	10
ACE1109	70 (3)	50 - 70 mm	12 mm	10
ACE1110	80 (3X)	60 - 80 mm	12 mm	10
ACE1111	90 (4)	70 - 90 mm	12 mm	10
ACE1112	100 (4X)	80 - 100 mm	12 mm	10
ACE1114	120 (5)	90 - 110 mm	12 mm	10
ACE1116	140 (6)	100 - 120 mm	12 mm	10
ACE1118	160 (7)	120 - 140 mm	12 mm	10

MINI CLIPS - PIPE CLIPS SCREW:

PART NO.	SIZE Ø mm*	QTY
ACE1362	07 -11 mm	10
ACE1363	10 -19 mm	10

Hose Clip Handipack 100 Pieces



DESCRIPTION:
Plastic box assortment.
Band, housing and screw: white zinc plated mild steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4 Nm
Width 12 mm : 5 Nm



PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1869	12 (000)	8 - 12 mm	9 mm	20
	16 (M00)	10 - 16 mm	9 mm	30
	22 (00 & 0)	12 - 22 mm	9 mm	20
	27 (0X)	16 - 27 mm	12 mm	20
	40 (1X)	25 - 40 mm	12 mm	10

Hose Clip Dispenser Rack - Gravity Fed

9 / 12 mm Band



DESCRIPTION:
Gravity fed hose clip dispenser rack - dispenses boxes of 10 hose clips.
Band, housing and screw: white zinc plated mild steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

CONTAINS:
12 (00) - 6 boxes of 10 (60). 16 (M00) - 6 boxes of 10 (60), 22 (00 & 0) - 7 boxes of 10 (70), 27 (0X) - 6 boxes of 10 (60)

See Top-Up packs below.

PART NO.	QTY
ACE1511	Set of 250

TOP-UP PACKS

SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1025	12 (000)	8 - 12 mm	9 mm	10
ACE1026	16 (M00)	10 - 16 mm	9 mm	10
ACE1027	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE1102	27 (0X)	16 - 27 mm	12 mm	10



Hose Clip Handipack

100 Pieces



DESCRIPTION:
Plastic box assortment.
Band, housing and screw: white zinc plated steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4 Nm
Width 12 mm : 5 Nm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1869	12 (000)	8 - 12 mm	9 mm	20
	16 (M00)	10 - 16 mm	9 mm	30
	22 (00 & 0)	12 - 22 mm	9 mm	20
	27 (0X)	16 - 27 mm	12 mm	20
	40 (1X)	25 - 40 mm	12 mm	10



Hose Clip Dispenser Rack - Chimney Boxes

9 / 12 mm Band



DESCRIPTION:
Chimney Box fed hose clip dispenser rack - dispenses single hose clips.
Band, housing and screw: white zinc plated mild steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

CONTAINS:
12 (00) - 70 Pieces. 16 (M00) - 70 Pieces, 22 (00 & 0) - 70 Pieces, 27 (0X) - 30 Pieces x 2 (60)

See Top-Up chimney boxes below.

PART NO.	QTY
ACE1510	Set of 270

TOP-UP CHIMNEY BOXES

SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1075	12 (000)	8 - 12 mm	9 mm	70
ACE1301	16 (M00)	10 - 16 mm	9 mm	70
ACE1302	22 (00 & 0)	12 - 22 mm	9 mm	70
ACE1528	27 (0X)	16 - 27 mm	12 mm	30

Hose Clip Driver

7 mm Flexi Driver



PART NO.	SIZE	LENGTH	QTY
ACE6020	7 mm	280 mm	1

Hose Clip Handipack

100 Pieces



DESCRIPTION:
Plastic box assortment.
Band, housing and screw: white zinc plated steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4 Nm
Width 12 mm : 5 Nm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1869	12 (000)	8 - 12 mm	9 mm	20
	16 (M00)	10 - 16 mm	9 mm	30
	22 (00 & 0)	12 - 22 mm	9 mm	20
	27 (0X)	16 - 27 mm	12 mm	20
	40 (1X)	25 - 40 mm	12 mm	10



British Type Hose Clips - Worm Drive Non Perforated band 10 / 12 mm Band



DESCRIPTION:
British Type.
Band, housing and screw: white zinc plated mild steel.
No chromium VI treatment.
48 hours in salt spray.
Worm drive screw.

USES:
Miscellaneous repairs and assembly, industries, automotive & domestic uses

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 10 mm : 4 Nm
Width 12 mm : 5 Nm

BRITISH TYPE, 10 mm BAND WIDTH. SCREW:

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1806	12 (000)	9.5 - 12 mm	10 mm	10
ACE1807	16 (M00)	11 - 16 mm	10 mm	10
ACE1808	20 (00)	13 - 20 mm	10 mm	10

BRITISH TYPE, 12 mm BAND WIDTH. SCREW:

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1809	22 (0)	16 - 22 mm	12 mm	10
ACE1810	25 (0X)	18 - 25 mm	12 mm	10
ACE1811	30 (1A)	22 - 30 mm	12 mm	10
ACE1812	35 (1)	25 - 35 mm	12 mm	10
ACE1813	40 (1X)	30 - 40 mm	12 mm	10
ACE1814	45 (1M)	32 - 45 mm	12 mm	10
ACE1815	50 (2A)	35 - 50 mm	12 mm	10
ACE1816	55 (2)	40 - 55 mm	12 mm	10
ACE1817	60 (2X)	45 - 60 mm	12 mm	10
ACE1818	70 (3)	55 - 70 mm	12 mm	10
ACE1819	80 (3X)	60 - 80 mm	12 mm	10
ACE1820	90 (4)	70 - 90 mm	12 mm	10
ACE1821	100 (4X)	85 - 100 mm	12 mm	10
ACE1822	5 (120)	90 - 120 mm	12 mm	10
ACE1823	6 (140)	110 - 140 mm	12 mm	10
ACE1824	165 (7)	135 - 165 mm	12 mm	10

British Type Hose Clip Dispenser Rack 10 / 12 mm Band



DESCRIPTION:
British Type hose clip dispenser rack.
Band, housing and screw: white zinc plated mild steel
Worm drive screw.

CONTAINS:
Hose Clips: 10 of each size:
12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A) & 60 (2X).

PART NO.	QTY
ACE1830	Set of 100

British Type Hose Clips - Worm Drive Non Perforated band 10 / 12 mm Band



DESCRIPTION:
British Type
Band, housing and screw: 100% AISI 304/A2 (18/8) Stainless Steel
Worm drive screw.

USES:
Demanding, corrosive and humid environments. Industrial, marine, food, chemical, hydrocarbon uses and general industry.

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 10 mm : 4.5 Nm
Width 12 mm : 5.5 Nm

**100%
STAINLESS STEEL**

BRITISH TYPE, 10 mm BAND WIDTH. SCREW:

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4505	12 (000)	9.5 - 12 mm	10 mm	10
ACE4506	16 (M00)	11 - 16 mm	10 mm	10
ACE4507	20 (00)	13 - 20 mm	10 mm	10

BRITISH TYPE, 12 mm BAND WIDTH. SCREW:

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4508	22 (0)	16 - 22 mm	12 mm	10
ACE4509	27 (0X)	18 - 25 mm	12 mm	10
ACE4510	30 (1A)	22 - 30 mm	12 mm	10
ACE4511	35 (1)	25 - 35 mm	12 mm	10
ACE4512	40 (1X)	30 - 40 mm	12 mm	10
ACE4513	45 (1M)	32 - 45 mm	12 mm	10
ACE4514	50 (2A)	35 - 50 mm	12 mm	10
ACE4515	55 (2)	40 - 55 mm	12 mm	10
ACE4516	60 (2X)	45 - 60 mm	12 mm	10
ACE4517	70 (3)	55 - 70 mm	12 mm	10
ACE4520	80 (3X)	60 - 80 mm	12 mm	10
ACE4521	90 (4)	70 - 90 mm	12 mm	10
ACE4522	100 (4X)	85 - 100 mm	12 mm	10
ACE4523	120 (5)	90 - 120 mm	12 mm	10
ACE4524	140 (6)	110 - 140 mm	12 mm	10
ACE4525	165 (M00)	135 - 165 mm	12 mm	10

British Type Hose Clip Dispenser Rack - Stainless Steel 10 / 12 mm Band



DESCRIPTION:
British Type Stainless steel hose clip dispenser rack.
Band, housing and screw: 100% AISI 304/A2 (18/8) Stainless Steel
Worm drive screw.

CONTAINS:
Hose Clips: 10 of each size:
12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A) & 60 (2X).

PART NO.	QTY
ACE4519	Set of 100

Hose Clips - Worm Drive Non Perforated band 9 / 12 mm Band



**100%
STAINLESS STEEL**



DESCRIPTION:

Band, housing and screw:
100% AISI 304/A2 (18/8) Stainless Steel
Worm drive screw.
Manufactured to DIN 3017.

USES:

Demanding, corrosive and humid environments.
Industrial, marine, food, chemical, hydrocarbon uses
and general industry.

RECOMMENDATIONS:

For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4.5 Nm
Width 12 mm : 5.5 Nm

9 mm BAND WIDTH.

SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4070	12 (000)	8 - 12 mm	9 mm	10
ACE4071	16 (M00)	10 - 16 mm	9 mm	10
ACE4072	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE4073	27 (0X)	16 - 27 mm	9 mm	10
ACE4074	32 (1A)	20 - 32 mm	9 mm	10
ACE4075	35 (1)	23 - 35 mm	9 mm	10
ACE4076	40 (1X)	25 - 40 mm	9 mm	10
ACE4077	45 (1M)	30 - 45 mm	9 mm	10
ACE4078	50 (2A)	32 - 50 mm	9 mm	10
ACE4079	60 (2 & 2X)	40 - 60 mm	9 mm	10
ACE4080	70 (3)	50 - 70 mm	9 mm	10
ACE4081	80 (3X)	60 - 80 mm	9 mm	10
ACE4082	90 (4)	70 - 90 mm	9 mm	10
ACE4083	100 (4X)	80 - 100 mm	9 mm	10
ACE4084		90 - 110 mm	9 mm	10
ACE4085	120 (5)	100 - 120 mm	9 mm	10
ACE4086		110 - 130 mm	9 mm	10
ACE4087	140 (6)	120 - 140 mm	9 mm	10

12 mm BAND WIDTH.

SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4096	27 (0X)	16 - 27 mm	12 mm	10
ACE4097	32 (1A)	20 - 32 mm	12 mm	10
ACE4098	35 (1)	23 - 35 mm	12 mm	10
ACE4099	40 (1X)	25 - 40 mm	12 mm	10
ACE4100	45 (1M)	30 - 45 mm	12 mm	10
ACE4101	50 (2A)	32 - 50 mm	12 mm	10
ACE4102	60 (2 & 2X)	40 - 60 mm	12 mm	10
ACE4103	70 (3)	50 - 70 mm	12 mm	10
ACE4104	80 (3X)	60 - 80 mm	12 mm	10
ACE4105	90 (4)	70 - 90 mm	12 mm	10
ACE4106	100 (4X)	80 - 100 mm	12 mm	10
ACE4107		90 - 110 mm	12 mm	10
ACE4108	120 (5)	100 - 120 mm	12 mm	10
ACE4109		110 - 130 mm	12 mm	10
ACE4110	140 (6)	120 - 140 mm	12 mm	10
ACE4111		130 - 150 mm	12 mm	10
ACE4112	160 (7)	140 - 160 mm	12 mm	10
ACE4113		150 - 170 mm	12 mm	10
ACE4114		160 - 180 mm	12 mm	10
ACE4115	190 (7 1/2)	170 - 190 mm	12 mm	10

Hose Clip Dispenser Rack - Stainless Steel 9 / 12 mm Band



**100%
STAINLESS STEEL**



DESCRIPTION:

Stainless steel hose clip dispenser rack.
Band, housing and screw:
100% AISI 304/A2 (18/8) Stainless Steel
Worm drive screw.
Manufactured to DIN 3017.

CONTAINS:

Hose Clips: 10 of each size:
12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A),
35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).

See Top-Up packs below.

PART NO.	QTY
ACE4192	100

TOP-UP PACKS

SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4070	12 (000)	8 - 12 mm	9 mm	10
ACE4071	16 (M00)	10 - 16 mm	9 mm	10
ACE4072	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE4096	27 (0X)	16 - 27 mm	12 mm	10
ACE4097	32 (1A)	20 - 32 mm	12 mm	10
ACE4098	35 (1)	23 - 35 mm	12 mm	10
ACE4099	40 (1X)	25 - 40 mm	12 mm	10
ACE4100	45 (1M)	30 - 45 mm	12 mm	10
ACE4101	50 (2A)	32 - 50 mm	12 mm	10
ACE4102	60 (2 & 2X)	40 - 60 mm	12 mm	10
ACE4103	70 (3)	50 - 70 mm	12 mm	10
ACE4104	80 (3X)	60 - 80 mm	12 mm	10
ACE4105	90 (4)	70 - 90 mm	12 mm	10
ACE4106	100 (4X)	80 - 100 mm	12 mm	10
ACE4108	120 (5)	100 - 120 mm	12 mm	10
ACE4110	140 (6)	120 - 140 mm	12 mm	10
ACE4112	160 (7)	140 - 160 mm	12 mm	10

Hose Clip Handipack 60 Pieces



DESCRIPTION:

Plastic box assortment.
Band, housing and screw:
100% AISI 304/A2 (18/8)
Stainless steel.
Worm drive screw.
Manufactured to DIN 3017.

RECOMMENDATIONS:

For use on hard and soft
materials.

Recommended tightening:
Width 9 mm : 4.5 Nm
Width 12 mm : 5.5 Nm




PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4223	12 (000)	8 - 12 mm	9 mm	10
	16 (M00)	10 - 16 mm	9 mm	20
	22 (00 & 0)	12 - 22 mm	9 mm	12
	40 (1X)	25 - 40 mm	12 mm	6

Banding Systems

Stainless Steel



MAKE YOUR OWN CLIPS, TO YOUR MEASUREMENTS



DESCRIPTION:

9 mm banding system.
Band and housing: 17C stainless steel (AISI 430).
Screw: zinc-plated steel, without chromium VI treatment.
Hex head screw - Quick release head clips.

USES:

Ventilation and automotive industry. Ideal for multi-diameter mounting sheaths of air conditioning.

FULL KIT, ROLL BAND WIDTH 9 mm.

PART NO.	DESCRIPTION	PCS	TYPE
ACE2314	30M Band, Housing & Screws	1 Kit	Full Kit

Full Kit including 30 m strips, in plastic dispensers & Quick release heads:
W2: 17C stainless steel (AISI 430).

ROLL BAND WIDTH 9 mm.

PART NO.	DESCRIPTION	PCS	TYPE
ACE2357	NPSQR9 30M	1	Stainless steel band in Plastic Reel

30 m strips, in plastic dispensers:
W2: 17C stainless steel (AISI 430).

QUICK RELEASE HEADS **W2** SCREW:

PART NO.	DESCRIPTION	PCS	TYPE
ACE2358	HNPS9 QR 30	30	Quick release heads in Plastic Box

Quick release heads, in plastic boxes: **W2:** Case in 17C steel (AISI 430), screws in zinc-plated steel.



Hose Clip Driver

7 mm Flexi Driver



PART NO.	SIZE	LENGTH	QTY
ACE6020	7 mm	280 mm	1

Miniclamp®

Mild Steel / Stainless Steel



Miniclamp® Dispenser Rack

Mild Steel



100 Miniclamps - W1

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE1657	07 - 09, 08 - 10, 09 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18	10 of each

Miniclamp® Dispenser Rack

Stainless Steel

100% STAINLESS STEEL



100 Miniclamps - W4

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE4193	07 - 09, 08 - 10, 09 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18	10 of each

Miniclamp® Top-Ups

Mild Steel



DESCRIPTION W1:

Band, housing and screw: white zinc plated mild steel.
48 hours in salt spray.
One-piece strip, folded: captive nut

USES:

Fuel hoses: cars, motorcycles, agricultural tractors, mowers, brush cutters.
Small diameter assembly.

RECOMMENDATIONS:

Recommended tightening: 2 Nm

9 mm BAND WIDTH. **W1**

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE1234	07 - 09 mm	9 mm	10
ACE1235	08 - 10 mm	9 mm	10
ACE1236	09 - 11 mm	9 mm	10
ACE1237	10 - 12 mm	9 mm	10
ACE1238	11 - 13 mm	9 mm	10
ACE1239	12 - 14 mm	9 mm	10
ACE1240	13 - 15 mm	9 mm	10
ACE1241	14 - 16 mm	9 mm	10
ACE1242	15 - 17 mm	9 mm	10
ACE1243	16 - 18 mm	9 mm	10

SCREW:

9 mm BAND WIDTH. **W4**

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE4120	07 - 09 mm	9 mm	10
ACE4121	08 - 10 mm	9 mm	10
ACE4122	09 - 11 mm	9 mm	10
ACE4123	10 - 12 mm	9 mm	10
ACE4124	11 - 13 mm	9 mm	10
ACE4125	12 - 14 mm	9 mm	10
ACE4126	13 - 15 mm	9 mm	10
ACE4127	14 - 16 mm	9 mm	10
ACE4128	15 - 17 mm	9 mm	10
ACE4129	16 - 18 mm	9 mm	10
ACE4130	17 - 19 mm	9 mm	10
ACE4131	18 - 20 mm	9 mm	10
ACE4132	19 - 21 mm	9 mm	10
ACE4138	25 - 27 mm	9 mm	10

SCREW:

Miniclamp® Top-Ups

Stainless Steel



DESCRIPTION W4:

Band, screw and nut:
100% AISI 304/A2 (18/8) Stainless Steel
One-piece strip, folded: captive nut

USES:

All corrosive, humid environments, marine, agriculture, food, aquarium.
Small diameter assembly.

RECOMMENDATIONS:

Recommended tightening: 2.5 Nm

100% STAINLESS STEEL

T-Bolts

TB



DESCRIPTION:

Band, plate with raised edges.
Band, screw, bridge, plate: white zinc-plated mild steel.
Solid trunnions.
Hex head screw.
48 hours in salt spray.

USES:

Irrigation, agricultural machinery, pumping, concrete pipes, trucks, hydraulics, public works.
All powerful tightenings.

RECOMMENDATIONS:

Tighten firmly.
If necessary, place two collars side by side, heads reversed, at each end.

PART NO.	SIZE Ø mm*	SCREW MM		BAND MM		QTY
		Ø	LENGTH	WIDTH	THICKNESS	
ACE1020	17 - 19 mm	M5	40 mm	18 mm	0.6 mm	10
ACE1021	20 - 22 mm	M5	40 mm	18 mm	0.6 mm	10
ACE1171	23 - 25 mm	M5	40 mm	18 mm	0.6 mm	10
ACE1172	26 - 28 mm	M5	40 mm	18 mm	0.6 mm	10
ACE1173	29 - 31 mm	M6	50 mm	20 mm	0.8 mm	10
ACE1174	32 - 35 mm	M6	50 mm	20 mm	0.8 mm	10
ACE1175	36 - 39 mm	M6	50 mm	20 mm	0.8 mm	10
ACE1176	40 - 43 mm	M6	50 mm	20 mm	0.8 mm	10
ACE1177	44 - 47 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1178	48 - 51 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1179	52 - 55 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1180	56 - 59 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1181	60 - 63 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1182	64 - 67 mm	M8	70 mm	22 mm	1.2 mm	10
ACE1183	68 - 73 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1184	74 - 79 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1185	80 - 85 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1186	86 - 91 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1187	92 - 97 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1189	104 - 112 mm	M8	80 mm	24 mm	1.5 mm	10
ACE1190	113 - 121 mm	M8	80 mm	24 mm	1.5 mm	10

T-Bolt Dispenser Rack



DESCRIPTION:

Band, plate with raised edges.
Band, screw, bridge, plate: white zinc-plated mild steel.
Solid trunnions. Hex head screw. 48 hours in salt spray.

PART NO.	COMPOSITION		QTY
	SIZE Ø mm*		
ACE1309	17 - 19, 20 - 22, 23 - 25, 26 - 28, 29 - 31, 32 - 35, 36 - 39, 40 - 43, 44 - 47, 48 - 51, 52 - 55, 56 - 59, 60 - 63, 64 - 67		5 of each

T-Bolts

TBS



PART NO.	SIZE Ø mm*	SCREW MM		BAND MM		QTY
		Ø	LENGTH	WIDTH	THICKNESS	
ACE2471	17 - 19 mm	M5	40 mm	18 mm	0.6 mm	5
ACE2472	20 - 22 mm	M5	40 mm	18 mm	0.6 mm	5
ACE2473	23 - 25 mm	M5	40 mm	18 mm	0.6 mm	5
ACE2474	26 - 28 mm	M5	40 mm	18 mm	0.6 mm	5
ACE2475	29 - 31 mm	M6	50 mm	20 mm	0.6 mm	5
ACE2476	32 - 35 mm	M6	50 mm	20 mm	0.6 mm	5
ACE2477	36 - 39 mm	M6	50 mm	20 mm	0.6 mm	5
ACE2478	40 - 43 mm	M6	50 mm	20 mm	0.6 mm	5
ACE2479	44 - 47 mm	M6	55 mm	22 mm	0.8 mm	5
ACE2480	48 - 51 mm	M6	55 mm	22 mm	0.8 mm	5
ACE2481	52 - 55 mm	M6	55 mm	22 mm	0.8 mm	5
ACE2482	56 - 59 mm	M6	55 mm	22 mm	0.8 mm	5
ACE2483	60 - 63 mm	M6	55 mm	22 mm	0.8 mm	5
ACE2484	64 - 67 mm	M8	70 mm	22 mm	0.8 mm	5
ACE2485	68 - 73 mm	M8	70 mm	24 mm	0.8 mm	5
ACE2486	74 - 79 mm	M8	70 mm	24 mm	0.8 mm	5
ACE2487	80 - 85 mm	M8	70 mm	24 mm	0.8 mm	5
ACE2488	86 - 91 mm	M8	70 mm	24 mm	0.8 mm	5
ACE2489	92 - 97 mm	M8	70 mm	24 mm	0.8 mm	5

DESCRIPTION:

Band, plate with raised edges.
Band and plate: 17C stainless steel (AISI 430).
Screw, bridge: zinc-plated mild steel.
Solid trunnions.
Hex head screw.

USES:

Irrigation, agricultural machinery, pumping, concrete pipes, trucks, hydraulics, public works.
All powerful tightenings.

RECOMMENDATIONS:

Tighten firmly.
If necessary, place two collars side by side, heads reversed, at each end.

T-Bolts

TBSS



PART NO.	SIZE Ø mm*	SCREW MM		BAND MM		QTY
		Ø	LENGTH	WIDTH	THICKNESS	
ACE4219	17 - 19 mm	M5	40 mm	18 mm	0.6 mm	5
ACE4220	20 - 22 mm	M5	40 mm	18 mm	0.6 mm	5
ACE4040	23 - 25 mm	M5	40 mm	18 mm	0.6 mm	5
ACE4041	26 - 28 mm	M5	40 mm	18 mm	0.6 mm	5
ACE4042	29 - 31 mm	M6	50 mm	20 mm	0.8 mm	5
ACE4043	32 - 35 mm	M6	50 mm	20 mm	0.8 mm	5
ACE4044	36 - 39 mm	M6	50 mm	20 mm	0.8 mm	5
ACE4045	40 - 43 mm	M6	50 mm	20 mm	0.8 mm	5
ACE4046	44 - 47 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4047	48 - 51 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4048	52 - 55 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4049	56 - 59 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4050	60 - 63 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4051	64 - 67 mm	M8	70 mm	22 mm	1.2 mm	5
ACE4052	68 - 73 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4053	74 - 79 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4054	80 - 85 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4055	86 - 91 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4056	92 - 97 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4057	98 - 103 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4058	104 - 112 mm	M8	80 mm	24 mm	1.5 mm	5

DESCRIPTION:

Band, plate with raised edges.
Band, screw, bridge, plate: 100% AISI 304/A2 (18/8) stainless steel.
Solid trunnions.
Hex head screw.

USES:

Irrigation, agricultural machinery, pumping, concrete pipes, trucks, hydraulics, public works.
All powerful tightenings.

Tighten firmly.
If necessary, place two collars side by side, heads reversed, at each end.

**100%
STAINLESS STEEL**

P Clips

Rubber Lined



DESCRIPTION:
 White galvanized steel band.
 Double thickness at the end: reinforced attachment point.
 Rubber: EPDM
 Bandwidths: 12 mm.
 Manufactured to DIN 3016

USES:
 Fixing tubes, pipes, cables and groups of cables.
 Protection of surfaces in contact.
 Anti-vibration.

RECOMMENDATIONS:
 Appropriate selection of diameter and firm clamping: stable fixing.

12 mm BAND WIDTH.

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE1769	5 mm	12 mm	50
ACE1770	6 mm	12 mm	50
ACE1771	8 mm	12 mm	50
ACE1772	10 mm	12 mm	50
ACE1774	13 mm	12 mm	50
ACE1776	16 mm	12 mm	50
ACE1779	21 mm	12 mm	50
ACE1782	25 mm	12 mm	50
ACE1785	29 mm	12 mm	50
ACE1789	35 mm	12 mm	50



'O' Clips

Twin Ear



DESCRIPTION:
 White zinc plated mild steel.
 Diameter marking on the band.

USES:
 Welding pipes.
 Compressed air hoses.
 Agricultural machinery.

RECOMMENDATIONS:
 Quick assembly, with standard clamps.
 Disassembly: collar not reusable.

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE1319	5 - 7 mm	6 mm	10
ACE1320	7 - 9 mm	7 mm	10
ACE1321	9 - 11 mm	7 mm	10
ACE1322	11 - 13 mm	7 mm	10
ACE1323	13 - 15 mm	7.5 mm	10
ACE1324	14 - 17 mm	7.5 mm	10
ACE1325	15 - 18 mm	7.5 mm	10
ACE1326	17 - 20 mm	7.5 mm	10
ACE1327	18 - 21 mm	7.5 mm	10
ACE1328	20 - 23 mm	9 mm	10
ACE1329	22 - 25 mm	9 mm	10
ACE1330	23 - 27 mm	9 mm	10

CV Boot Clip

Universal



100% STAINLESS STEEL



DESCRIPTION:
 100% AISI 304/A2 (18/8) stainless steel.

Diameter adjustment according to the need.
 Amplitudes:
 • Small collar: 20 to 45 mm
 • Large collar: 45 to 120 mm.

USES:
 Clips are used to secure CV Boots in place

RECOMMENDATIONS:
 Quick assembly, with standard clamps.
 Disassembly: collar not reusable.

SINGLE SIZE CV CLIPS .

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE4907	20 - 45 mm	6.4 mm	100
ACE4908	45 - 120 mm	8 mm	100

CV BOOT CLIP KIT

PART NO.	SIZE Ø mm*	QTY
ACE4579	20 - 45 & 45 - 120 mm	1 Pair (1 of each size)

Dispensers & Handipacks

Hose Clip Dispenser Rack - With Pipe Clips 9 / 12 mm Band

W1
DIN 3017



PART NO.	CLIPS	COMPOSITION	
		SIZE Ø mm*	QTY
ACE1361	Hose Clips	12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).	10 of each
	Pipe Clips	7 - 11 mm, 11 - 19 mm	20 of each

Hose Clip Dispenser Rack - Stainless Steel 9 / 12 mm Band

W4
DIN 3017
100% STAINLESS STEEL



PART NO.	CLIPS	COMPOSITION	
		SIZE Ø mm*	QTY
ACE4192	Hose Clips	12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).	10 of each

British Type Hose Clip Dispenser Rack 10 / 12 mm Band

W1
DIN 3017



PART NO.	CLIPS	COMPOSITION	
		SIZE Ø mm*	QTY
ACE1830	Hose Clips	12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).	10 of each

British Type Hose Clip Dispenser Rack - Stainless Steel 10 / 12 mm Band

W4
DIN 3017
100% STAINLESS STEEL



PART NO.	CLIPS	COMPOSITION	
		SIZE Ø mm*	QTY
ACE4519	Hose Clips	12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).	10 of each

Miniclamp® Dispenser Rack Mild Steel

W1
DIN 3017



100 Miniclamps - W1

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE1657	07 - 09, 08 - 10, 09 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18	10 of each

Miniclamp® Dispenser Rack Stainless Steel

100% STAINLESS STEEL
W4



100 Miniclamps - W4

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE4193	07 - 09, 08 - 10, 09 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18	10 of each

Hose Clip Handipacks



W1
DIN 3017

W4
DIN 3017

HANDIPACK W1

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
				QTY
ACE1869	12 (000)	8 - 12 mm	9 mm	20
	16 (M00)	10 - 16 mm	9 mm	30
	22 (00 & 0)	12 - 22 mm	9 mm	20
	27 (0X)	16 - 27 mm	12 mm	20
	40 (1X)	25 - 40 mm	12 mm	10

HANDIPACK W4

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
				QTY
ACE4223	12 (000)	8 - 12 mm	9 mm	10
	16 (M00)	10 - 16 mm	9 mm	20
	22 (00 & 0)	12 - 22 mm	9 mm	12
	27 (0X)	16 - 27 mm	12 mm	12
	40 (1X)	25 - 40 mm	12 mm	6

T-Bolt Dispenser Rack



W1
DIN 3017

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE1309	17 - 19, 20 - 22, 23 - 25, 26 - 28, 29 - 31, 32 - 35, 36 - 39, 40 - 43, 44 - 47, 48 - 51, 52 - 55, 56 - 59, 60 - 63, 64 - 67	5 of each

Hose Clip Driver 7 mm Flexi Driver



PART NO.	SIZE	LENGTH	QTY
ACE6020	7 mm	280 mm	1



HOSE CLIPS



**HOSE CLIPS | DISPENSER RACKS | MINICLAMPS | T-BOLTS
BANDING SYSTEMS | P-CLIPS | 'O' CLIPS | CV BOOT CLIPS**