

Helping to maintain industry

**Product
Update
Issue 2**

New VISION Wireless Charging Range

Cutting-edge portable lighting technology

New ACE Hose Clamps

New range of hose clamps is now available

Air Line Fittings & Tools

Air tools plus couplings, adaptors, tailpieces and hoses from PCL

Spillage Control & Janitorial

Maintain a safe, clean and healthy working environment

VISION Classic Range

Industry-leading light units that are tough, powerful, reliable and stylish

Number Plate Fasteners

Full range of number plate screws and bolts

Wheels & Tyres

A range of tyre repair products

Plus much more ...

Air Line Fittings	2	ACE T-Bolts and Boot Clips	9	Assorted Boxes	23
Air Line Hose	3	VISION Wireless Charging Range	12-13	Wheels and Tyres	24
Air Tools	4	VISION Classics	14-15	Winter Products	25
Tube Couplings	5	Number Plate Fixings	16	Safety Clothing	25
ACE Hose Clips	6-7	Spillage Control	18-19	Batteries & Jump Starting	26
ACE Mini Clamps	8	Janitorial	20-21	Autobulbs	27

Air Line Fittings

PCL 'Airflow' couplings are for use with portable air tools, garage and industrial air line systems and test panels.



PCL 'Airflow' Female Couplings

Part No.	Pack of	Size	Fitting
AL101	5	1/4" BSP	Female
AL102	5	3/8" BSP	Female
AL103	5	1/2" BSP	Female



PCL 'Airflow' Male Couplings

Part No.	Pack of	Size	Fitting
AL124	2	1/4" BSP	Male
AL125	2	3/8" BSP	Male
AL126	2	1/2" BSP	Male

PCL 'Vertex' couplings are used with trailing hoses and for portable air tools, garage and industrial air line systems.



PCL 'Vertex' Female Couplings

Part No.	Pack of	Size	Fitting
AL31	5	1/4" BSP	Female



PCL 'Vertex' Male Couplings


Part No.	Pack of	Size	Fitting
AL32	2	1/4" BSP	Male

PCL '100 Series' offers greater airflow characteristics for larger air tool applications.



PCL '100 Series' Female Couplings

Part No.	Qty	Size	Fitting
AL46	1	3/8" BSP	Female
AL18	1	1/2" BSP	Female



PCL '100 Series' Male Couplings

Part No.	Qty	Size	Fitting
AL47	1	3/8" BSP	Male
AL34	1	1/2" BSP	Male



PCL Screwed Female Adaptors

Part No.	Pack of	Size	Fitting
AL12	5	1/4" BSP	Female
AL130	5	3/8" BSP	Female
AL131	5	1/2" BSP	Female




PCL Screwed Male Adaptors

Part No.	Pack of	Size	Fitting
AL3	5	1/4" BSP	Male
AL132	5	3/8" BSP	Male
AL133	5	1/2" BSP	Male



PCL Integral Adaptor/Tailpieces

Part No.	Pack of	Hose Bore
AL4	5	6.35 mm (1/4")
AL5	5	7.90 mm (5/16")
AL38	5	9.50 mm (3/8")



PCL 'Airflow' Twin Coupling

Part No.	Qty	Description
AL23	1	'Airflow' Twin Coupling



PCL Male Screwed Tailpieces - 1/4" BSPT

Part No.	Pack of	Bore Hose
AL2	5	6.35 mm (1/4")
AL37	5	7.90 mm (5/16")
AL33	5	9.50 mm (3/8")
AL53	5	12.70 mm (1/2")



PCL Male Screwed Tailpieces - 1/2" BSPT

Part No.	Pack of	Bore Hose
AL39	3	12.70 mm (1/2")



PCL '100 Series' Male Screwed Adaptors

Part No.	Pack of	Size	Fitting
AL48	3	3/8" BSP	Male
AL19	3	1/2" BSP	Male



PCL '100 Series' Integral Adaptor/Tailpieces

Part No.	Pack of	Hose Bore
AL49	3	9.50 mm (3/8")
AL20	3	12.70 mm (1/2")


Air Line Hose



PCL Multi Purpose PVC Air Hose Reel

Ideal for use with a multitude of applications where a wall or ceiling mounted reel is needed.

Part No.	Qty	Hose I.D. x Length
ALR1	1	10mm (3/8") x 15 m



Air Line Coil

Nylon with protective springs at each end.
1/4" BSP swivel nuts.
3/8" O.D. x .265" I.D. 25 ft (7.6m) working length.

Part No.	Qty	Description
AL10	1	Air Line Coil



Air Line Hose

Black styrene-butadiene rubber (SBR).
Working pressure: 20 bar.

Part No.	Length	O.D. x I.D.
AL11	15 m Coil	12 x 6 mm
AL13	15 m Coil	15 x 8 mm
AL17	15 m Coil	17 x 10 mm
AL22	15 m Coil	21 x 13 mm



PCL Air Tool Whip Hose

0.6 m (2 ft) length. Adaptor and BSP male tailpiece ends.
Fully conforms to safety standard requirements ISO 4414:1998 and EN983:1996.
Prevents Hose whip. Allows safe disconnection.

Part No.	Qty	Hose I.D.	Hose O.D.	Adaptor x Male Thread
AL60	1	7 mm (1/4")	14 mm	Standard x R 1/4



FUCHS 'Silkair VG22' Air Line Oil

General purpose.
Lubricates pneumatic tools and equipment.
Readily separates from water.

Part No.	Qty	Size
VC191	1	1 Litre Bottle



Air Tools



PCL 3/8" Drive 'Mini' Pneumatic Ratchet - 27.5 Nm

Palm Ratchet allows the operator to reach small areas. Compact and lightweight design allows maximum operator control and performance. Rear exhaust to keep airflow away from work area. High power motor for consistent performance. Maximum Torque 27.5 Nm, Weight 0.4 kg.

Part No.	Qty	Description
ALT7	1	3/8" Mini Ratchet



PCL 1/4" Drive 'Mini' Pneumatic Ratchet - 27.5 Nm

Palm Ratchet allows the operator to reach small areas. Compact and lightweight design allows maximum operator control and performance. Rear exhaust to keep airflow away from work area. High power motor for consistent performance. Maximum Torque 27.5 Nm, Weight 0.3 kg.

Part No.	Qty	Description
ALT6	1	1/4" Mini Ratchet



PCL 'Mini' Pneumatic Die Grinder

Allows the operator to reach into very small areas. Safety lever prevents any possible accidents. Rear exhaust to keep airflow away from the hand. High power motor designed for all tight grinding situations. 6 mm collet (3 piece design). Free speed 25,000 RPM, Weight 0.34 kg.

Part No.	Qty	Description
ALT8	1	Mini Die Grinder



PCL 1/2" Drive Pneumatic Impact Wrench - 540 Nm

General purpose impact wrench with forward and reverse mode. Pin clutch hammer mechanism with 4 forward operation impact settings, non-slip comfort grip. Air Consumption: 300 l/min, Maximum Torque: 540 Nm at 90 PSI, Sound: 96.6 db (A), Vibration: 1.39 m/s² Weight: 2.0 kg.

Part No.	Qty	Description
ALT1	1	1/2" Impact Wrench



PCL 3/8" Drive Pneumatic Ratchet

Forward and reverse knob on the ratchet head. Ball type retainer with easy forward/reverse shift. Maximum Torque 60 Nm at 90 PSI, Air Consumption 115 l/min, Sound 90.0 db (A), Vibration 5.2m/s² Weight 1.2 kg.

Part No.	Qty	Description
ALT2	1	3/8" Ratchet



PCL Pneumatic Die Grinder

Ideal for tyre buffing, polishing and grinding. Medium motor with high velocity and low vibration, safety throttle lever with 6 mm collet (3 piece design). Free speed 22,000 RPM, Air Consumption 115 l/min, Sound 93 db (A), Vibration 5.4 m/s² Weight 0.6 kg.

Part No.	Qty	Description
ALT4	1	Die Grinder



PCL 10 mm (3/8") Pneumatic Reversible Drill

Ideal for drilling, reaming and honing. Side mounted forward/reverse shift, fitted with 10 mm (3/8") keyless chuck. Free speed 1,800 RPM, Air Consumption 130 l/min, Sound 87 db (A), Vibration 1.5 m/s² Weight 1.1 kg.

Part No.	Qty	Description
ALT3	1	10 mm Reversible Drill



PCL Direct Drive Compressor Unit

Solid, stable and completely portable direct drive compressor.

- Fitted with genuine single stage 2 HP motor
- Air receiver: 24 l.
- Air Flow: 206 l/min / 7.3 cfm
- Noise: 82 DbA
- Fitted with genuine PCL 'Airflow' couplings on the outlet
- Supplied with full CE certification, test certificates & operating manual

Part No.	Qty	Size	Weight
ALT89	1	59 x 28 x 62 cm	26 kg

Tube Couplings



Quick-Fit Tube Couplings - Straights, Metric

Plastic, Black.

Part No.	Pack of	Size
TCX26	10	4 mm
TCX27	10	5 mm
TCX28	10	6 mm
TCX29	10	8 mm
TCX30	5	10 mm
TCX31	5	12 mm
TCX56	5	15 mm



Quick-Fit Tube Couplings - Equal Tees, Metric

Plastic, Black.

Part No.	Pack of	Size
TCX50	10	4 mm
TCX51	10	5 mm
TCX52	10	6 mm
TCX53	10	8 mm
TCX54	5	10 mm
TCX55	5	12 mm



Quick-Fit Tube Couplings - Elbows, Metric

Plastic, Black.

Part No.	Pack of	Size
TCX104	10	4 mm
TCX105	10	5 mm
TCX40	10	6 mm
TCX41	10	8 mm
TCX42	5	10 mm
TCX43	5	12 mm



Assorted Box of Quick-Fit Couplings - Straights, Metric

Plastic, Black.

Part No.	Qty	Box of
AB187	1	24 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.




Assorted Box of Quick-Fit Couplings - Elbows + Tees, Metric

Plastic, Black.

Part No.	Qty	Box of
AB188	1	17 Pieces

4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.



Nylon Tubing Flexible - Black Metric

DIN 73378 & DIN 74324 and BS 5409 Pt. 1. Oil, petrol and diesel safe. Suitable for air.

Part No.	Length	O.D. x I.D.
TUB104	30 m Coil	4.0 x 2.5 mm
TUB105	30 m Coil	5.0 x 3.3 mm
TUB106	30 m Coil	6.0 x 4.0 mm
TUB109	30 m Coil	8.0 x 6.0 mm
TUB111	30 m Coil	10.0 x 7.0 mm
TUB110	30 m Coil	10.0 x 7.5 mm
TUB112	30 m Coil	12.0 x 9.0 mm



Quick-Fit Tube Couplings Locking/Release Spanners

Suits most types of plastic push-fit tube couplings.

Part No.	Qty	Description
TCX99	1 Set	5 Piece Set

5 x Sizes: 3/16" (5 mm), 1/4" (6 mm), 5/16" (8 mm), 3/8" (10 mm), 1/2" (13 mm).

ACE Hose Clips



ACE W1 Hose Clips

Band, housing and screw: zinc plated mild steel. DIN 3017.

Part No.	Pack of	Size No.	Range	Band Width
ACE1025	10	12 (000)	8-12 mm	9 mm
ACE1026	10	16 (M00)	10-16 mm	9 mm
ACE1027	10	22 (00 & 0)	12-22 mm	9 mm
ACE1028	10	27 (0X)	16-27 mm	9 mm
ACE1029	10	32 (1A)	20-32 mm	9 mm
ACE1030	10	35 (1)	23-35 mm	9 mm
ACE1031	10	40 (1X)	25-40 mm	9 mm
ACE1032	10	45 (1M)	30-45 mm	9 mm
ACE1033	10	50 (2A)	32-50 mm	9 mm
ACE1034	10	60 (2 & 2X)	40-60 mm	9 mm
ACE1035	10	70 (3)	50-70 mm	9 mm
ACE1036	10	80 (3X)	60-80 mm	9 mm
ACE1037	10	90 (4)	70-90 mm	9 mm
ACE1038	10	100 (4X)	80-100 mm	9 mm
ACE1039	10		90-110 mm	9 mm
ACE1040	10	120 (5)	100-120 mm	9 mm
ACE1042	10	140 (6)	120-140 mm	9 mm
ACE1102	10	27 (0X)	16-27 mm	12 mm
ACE1103	10	32 (1A)	20-32 mm	12 mm
ACE1104	10	35 (1)	23-35 mm	12 mm
ACE1105	10	40 (1X)	25-40 mm	12 mm
ACE1106	10	45 (1M)	30-45 mm	12 mm
ACE1107	10	50 (2A)	32-50 mm	12 mm
ACE1108	10	60 (2 & 2X)	40-60 mm	12 mm
ACE1109	10	70 (3)	50-70 mm	12 mm
ACE1110	10	80 (3X)	60-80 mm	12 mm
ACE1111	10	90 (4)	70-90 mm	12 mm
ACE1112	10	100 (4X)	80-100 mm	12 mm
ACE1114	10	120 (5)	100-120 mm	12 mm
ACE1116	10	140 (6)	120-140 mm	12 mm
ACE1118	10	160 (7)	140-160 mm	12 mm
ACE1120	5		160-180 mm	12 mm



ACE W1 Hose Clip Handipack Assortment

Band, housing and screw: zinc plated mild steel. DIN 3017.

Part No. Qty Description

ACE1869 1 Set 100 Piece Set

Contents: 20 pcs 08-12 mm, 30 pcs 10-16 mm, 20 pcs 12-22 mm, 20 pcs 16-27 mm, 10 pcs 25-40 mm.



ACE W1 Hose Clip Stand c/w Clips

Band, housing and screw: zinc plated mild steel. DIN 3017.

Part No. Qty Description

ACE1361 1 Set 140 Piece Set

Contents: 20 pcs 07-11 mm, 20 pcs 10-19 mm, 10 pcs 08-12 mm, 10 pcs 10-16 mm, 10 pcs 12-22 mm, 10 pcs 16-27 mm, 10 pcs 20-32 mm, 10 pcs 23-35 mm, 10 pcs 25-40 mm, 10 pcs 30-45 mm, 10 pcs 32-50 mm, 10 pcs 40-60 mm.



ACE W1 Gravity Fed Hose Clip Box Dispenser

Band, housing and screw: zinc plated mild steel. DIN 3017.

Part No. Qty Description

ACE1511 1 Set 250 Piece Set

Contents: 60 pcs 08-12 mm, 60 pcs 10-16 mm, 70 pcs 12-22 mm, 30 pcs 16-27 mm, 30 pcs 16-27 mm.



ACE W1 Chimney Box Hose Clips Dispenser

Band, housing and screw: zinc plated mild steel. DIN 3017.

Part No. Qty Description Band Width

ACE1510 1 Set 270 Piece Set 9 mm

Contents: 70 pcs 8-12 mm, 70 pcs 10-16 mm, 70 pcs 12-22 mm, 30 pcs 16-27 mm, 30 pcs 16-27 mm.



ACE Hose Clip 7mm Nut Driver

Flexible for easy mounting. Ergonomic non-slip grip handle. For all non-perforated clips and Miniclamp.

Part No.	Qty	Hex Size	Length
ACE6020	1	7 mm	280 mm



ACE W4 INOX Hose Clips

Band, housing and screw: 18/8 INOX (AISI 304). DIN 3017.

Part No.	Pack of	Size No.	Range	Band Width
ACE4070	10	12 (000)	8-12 mm	9 mm
ACE4071	10	16 (M00)	10-16 mm	9 mm
ACE4072	10	22 (00 & 0)	12-22 mm	9 mm
ACE4073	10	27 (0X)	16-27 mm	9 mm
ACE4074	10	32 (1A)	20-32 mm	9 mm
ACE4075	10	35 (1)	23-35 mm	9 mm
ACE4076	10	40 (1X)	25-40 mm	9 mm
ACE4077	10	45 (1M)	30-45 mm	9 mm
ACE4078	10	50 (2A)	32-50 mm	9 mm
ACE4079	10	60 (2 & 2X)	40-60 mm	9 mm
ACE4080	10	70 (3)	50-70 mm	9 mm
ACE4081	10	80 (3X)	60-80 mm	9 mm
ACE4082	10	90 (4)	70-90 mm	9 mm
ACE4083	10	100 (4X)	80-100 mm	9 mm
ACE4084	10		90-110 mm	9 mm
ACE4085	10	120 (5)	100-120 mm	9 mm
ACE4086	10		110-130 mm	9 mm
ACE4087	10	140 (6)	120-140 mm	9 mm
ACE4096	10	27 (0X)	16-27 mm	12 mm
ACE4097	10	32 (1A)	20-32 mm	12 mm
ACE4098	10	35 (1)	23-35 mm	12 mm
ACE4099	10	40 (1X)	25-40 mm	12 mm
ACE4100	10	45 (1M)	30-45 mm	12 mm
ACE4101	10	50 (2A)	32-50 mm	12 mm
ACE4102	10	60 (2 & 2X)	40-60 mm	12 mm
ACE4103	10	70 (3)	50-70 mm	12 mm
ACE4104	10	80 (3X)	60-80 mm	12 mm
ACE4105	10	90 (4)	70-90 mm	12 mm
ACE4106	10	100 (4X)	80-100 mm	12 mm
ACE4107	10		90-110 mm	12 mm
ACE4108	10	120 (5)	100-120 mm	12 mm
ACE4109	10		110-130 mm	12 mm
ACE4110	10	140 (6)	120-140 mm	12 mm
ACE4111	10		130-150 mm	12 mm
ACE4112	10	160 (7)	140-160 mm	12 mm
ACE4113	10		150-170 mm	12 mm
ACE4114	10		160-180 mm	12 mm
ACE4115	10	190 (7 1/2)	170-190 mm	12 mm



ACE W4 British Type INOX Hose Clips

Band, housing and screw: 18/8 INOX (AISI 304/A2).

Part No.	Pack of	Size No.	Range	Band Width
ACE4505	10	12 (000)	9.5-12 mm	10 mm
ACE4506	10	16 (M00)	11-16 mm	10 mm
ACE4507	10	20 (00)	13-20 mm	10 mm
ACE4508	10	22 (0)	16-22 mm	12 mm
ACE4509	10	27 (0X)	18-25 mm	12 mm
ACE4510	10	30 (1A)	22-30 mm	12 mm
ACE4511	10	35 (1)	25-35 mm	12 mm
ACE4512	10	40 (1X)	30-40 mm	12 mm
ACE4513	10	45 (1M)	32-45 mm	12 mm
ACE4514	10	50 (2A)	35-50 mm	12 mm
ACE4515	10	55 (2)	40-55 mm	12 mm
ACE4516	10	60 (2X)	45-60 mm	12 mm
ACE4517	10	70 (3)	55-70 mm	12 mm
ACE4520	10	80 (3X)	60-80 mm	12 mm
ACE4521	10	90 (4)	70-90 mm	12 mm
ACE4522	10	100 (4X)	85-100 mm	12 mm
ACE4523	10	120 (5)	90-120 mm	12 mm
ACE4524	10	140 (6)	110-140 mm	12 mm
ACE4525	10	165 (M00)	135-165 mm	12 mm



ACE W4 British Type INOX Hose Clip Dispenser

Band, housing and screw: 18/8 INOX (AISI 304/A2).

Part No.	Qty	Description
ACE4519	1 Set	100 Piece Set

Contents: 10 pcs per size; 9.5-12 mm, 11-16 mm, 13-20 mm, 16-22 mm, 18-25 mm, 22-30 mm, 25-35 mm, 30-40 mm, 35-50 mm, 45-60 mm.



ACE W1 British Type Hose Clips

Band, housing and screw: zinc plated mild steel.

Part No.	Pack of	Size No.	Range	Band Width
ACE1806	10	12 (000)	9.5-12 mm	10 mm
ACE1807	10	16 (M00)	11-16 mm	10 mm
ACE1808	10	20 (00)	13-20 mm	10 mm
ACE1809	10	22 (0)	16-22 mm	12 mm
ACE1810	10	25 (0X)	18-25 mm	12 mm
ACE1811	10	30 (1A)	22-30 mm	12 mm
ACE1812	10	35 (1)	25-35 mm	12 mm
ACE1813	10	40 (1X)	30-40 mm	12 mm
ACE1814	10	45 (1M)	32-45 mm	12 mm
ACE1815	10	50 (2A)	35-50 mm	12 mm
ACE1816	10	55 (2)	40-55 mm	12 mm
ACE1817	10	60 (2X)	45-60 mm	12 mm
ACE1818	10	70 (3)	55-70 mm	12 mm
ACE1819	10	80 (3X)	60-80 mm	12 mm
ACE1820	10	90 (4)	70-90 mm	12 mm
ACE1821	10	100 (4X)	85-100 mm	12 mm
ACE1822	10	5 (120)	90-120 mm	12 mm
ACE1823	10	6 (140)	110-140 mm	12 mm
ACE1824	10	165 (7)	135-165 mm	12 mm



ACE W1 British Type Hose Clip Dispenser

Band, housing and screw: zinc plated mild steel.

Part No.	Qty	Description
ACE1830	1 Set	100 Piece Set

Contents: 10 pcs per size; 9.5-12 mm, 11-16 mm, 13-20 mm, 16-22 mm, 18-25 mm, 22-30 mm, 25-35 mm, 30-40 mm, 35-50 mm, 45-60 mm.



ACE W4 INOX Hose Clip Dispenser Rack

100 hose clips dispenser. 100% 18/8 INOX (AISI 304). DIN 3017. 9 and 12 mm width non-perforated band.

Part No.	Qty	Description
ACE4192	1 Set	100 Piece Set

Contents: 10 pcs per size; 08-12 mm, 10-16 mm, 12-22 mm, 16-27 mm, 20-32 mm, 23-35 mm, 25-40 mm, 30-45 mm, 32-50 mm, 40-60 mm.



ACE W4 INOX Handpack Assortment

Plastic box assortment. 18/8 INOX (AISI 304). DIN 3017. 9 and 12 mm width non-perforated band.

Part No.	Qty	Description
ACE4223	1 Set	60 Piece Set

Contents: 10 pcs 08-12 mm, 20 pcs 10-16 mm, 12 pcs 12-22 mm, 12 pcs 16-27 mm, 6 pcs 25-40 mm.



ACE Hose Clip 7mm Nut Driver

Flexible for easy mounting. Ergonomic non-slip grip handle. For all non-perforated clips and Miniclamp®.

Part No.	Qty	Hex Size	Length
ACE6020	1	7 mm	280 mm


ACE Mini Clamps



ACE W1 Mini Pipe Clips

Band: AISI 430. Housing and screw: Q195 steel.

Part No.	Pack of	Range
ACE1362	10	7-11 mm
ACE1363	10	10-19 mm



ACE W1 Mini Clamps

Band, screw, nut: zinc plated mild steel.


Part No.	Pack of	Range	Band Width
ACE1234	10	7-9 mm	9 mm
ACE1235	10	8-10 mm	9 mm
ACE1236	10	9-11 mm	9 mm
ACE1237	10	10-12 mm	9 mm
ACE1238	10	11-13 mm	9 mm
ACE1239	10	12-14 mm	9 mm
ACE1240	10	13-15 mm	9 mm
ACE1241	10	14-16 mm	9 mm
ACE1242	10	15-17 mm	9 mm
ACE1243	10	16-18 mm	9 mm



ACE W1 Mini Clamp Dispenser Rack

100 Miniclamp® dispenser.
Band, housing and screw: zinc plated mild steel.

Part No.	Qty	Description
ACE1657	1 Set	100 Piece Set Contents: 10 pcs per size: 07-09 mm, 08-10 mm, 09-11 mm, 10-12 mm, 11-13 mm, 12-14 mm, 13-15 mm, 14-16 mm, 15-17 mm, 16-18 mm.



ACE W4 INOX Mini Clamps

Band, screw, nut: 18/8 INOX (AISI 304/A2).

Part No.	Pack of	Range	Band Width
ACE4120	10	7-9 mm	9 mm
ACE4121	10	8-10 mm	9 mm
ACE4122	10	9-11 mm	9 mm
ACE4123	10	10-12 mm	9 mm
ACE4124	10	11-13 mm	9 mm
ACE4125	10	12-14 mm	9 mm
ACE4126	10	13-15 mm	9 mm
ACE4127	10	14-16 mm	9 mm
ACE4128	10	15-17 mm	9 mm
ACE4129	10	16-18 mm	9 mm
ACE4130	10	17-19 mm	9 mm
ACE4131	10	18-20 mm	9 mm
ACE4132	10	19-21 mm	9 mm
ACE4138	10	25-27 mm	9 mm



ACE W4 INOX Mini Clamp Dispenser Rack

100 Miniclamp® dispenser.
100% 18/8 INOX (AISI 304/A2).

Part No.	Qty	Description
ACE4193	1 Set	100 Piece Set Contents: 10 pcs per size: 07-09 mm, 08-10 mm, 09-11 mm, 10-12 mm, 11-13 mm, 12-14 mm, 13-15 mm, 14-16 mm, 15-17 mm, 16-18 mm.



ACE W1 Rubber Lined P-Clips

Zinc plated band. EPDM rubber. Double metal thickness at screw hole. DIN 3016.

Part No.	Pack of	Size	Band Width
ACE1769	50	5 mm	12 mm
ACE1770	50	6 mm	12 mm
ACE1771	50	8 mm	12 mm
ACE1772	50	10 mm	12 mm
ACE1774	50	13 mm	12 mm
ACE1776	50	16 mm	12 mm
ACE1779	50	21 mm	12 mm
ACE1782	50	25 mm	12 mm
ACE1785	50	29 mm	12 mm
ACE1789	50	35 mm	12 mm



ACE W1 Twin Ear O-Clips

Zinc plated mild steel.

Part No.	Pack of	Range	Band Width
ACE1319	10	5-7 mm	6 mm
ACE1320	10	7-9 mm	7 mm
ACE1321	10	9-11 mm	7 mm
ACE1322	10	11-13 mm	7 mm
ACE1323	10	13-15 mm	7.5 mm
ACE1324	10	14-17 mm	7.5 mm
ACE1325	10	15-18 mm	7.5 mm
ACE1326	10	17-20 mm	7.5 mm
ACE1327	10	18-21 mm	7.5 mm
ACE1328	10	20-23 mm	9 mm
ACE1329	10	22-25 mm	9 mm
ACE1330	10	23-27 mm	9 mm

ACE T-Bolts and Boot Clips



ACE W1 T-Bolts

Band, screw, cylinders, flange: zinc plated mild steel. Solid head and screw cylinders. Hexagonal head.

Part No.	Pack of	Range	Bolt Size	Band Width
ACE1020	10	17-19 mm	5 mm	18 mm
ACE1021	10	20-22 mm	5 mm	18 mm
ACE1171	10	23-25 mm	5 mm	18 mm
ACE1172	10	26-28 mm	5 mm	18 mm
ACE1173	10	29-31 mm	6 mm	20 mm
ACE1174	10	32-35 mm	6 mm	20 mm
ACE1175	10	36-39 mm	6 mm	20 mm
ACE1176	10	40-43 mm	6 mm	20 mm
ACE1177	10	44-47 mm	6 mm	22 mm
ACE1178	10	48-51 mm	6 mm	22 mm
ACE1179	10	52-55 mm	6 mm	22 mm
ACE1180	10	56-59 mm	6 mm	22 mm
ACE1181	10	60-63 mm	6 mm	22 mm
ACE1182	10	64-67 mm	8 mm	22 mm
ACE1183	10	68-73 mm	8 mm	24 mm
ACE1184	10	74-79 mm	8 mm	24 mm
ACE1185	10	80-85 mm	8 mm	24 mm
ACE1186	10	86-91 mm	8 mm	24 mm
ACE1187	10	92-97 mm	8 mm	24 mm
ACE1189	10	104-112 mm	8 mm	24 mm
ACE1190	10	113-121 mm	8 mm	24 mm



ACE W1 T-Bolt Dispenser Rack

Band, screw, cylinders, flange: zinc plated mild steel. Solid head and screw cylinders. Hexagonal head.

Part No.	Qty	Description
ACE1309	1 Set	70 Piece Set

Contents: 5 pcs per size: 17-19 mm, 20-22 mm, 23-25 mm, 26-28 mm, 29-31 mm, 32-35 mm, 36-39 mm, 40-43 mm, 44-47 mm, 48-51 mm, 52-55 mm, 56-59 mm, 60-63 mm, 64-67 mm.



ACE W2 Stainless Steel T-Bolts

Screw: zinc plated mild steel. Band and housing: 17C INOX (AISI 430). Hexagonal head.

Part No.	Pack of	Range	Bolt Size	Band Width
ACE2471	5	17-19 mm	5 mm	18 mm
ACE2472	5	20-22 mm	5 mm	18 mm
ACE2473	5	23-25 mm	5 mm	18 mm
ACE2474	5	26-28 mm	5 mm	18 mm
ACE2475	5	29-31 mm	6 mm	20 mm
ACE2476	5	32-35 mm	6 mm	20 mm
ACE2477	5	36-39 mm	6 mm	20 mm
ACE2478	5	40-43 mm	6 mm	20 mm
ACE2479	5	44-47 mm	6 mm	22 mm
ACE2480	5	48-51 mm	6 mm	22 mm
ACE2481	5	52-55 mm	6 mm	22 mm
ACE2482	5	56-59 mm	6 mm	22 mm
ACE2483	5	60-63 mm	6 mm	22 mm
ACE2484	5	64-67 mm	8 mm	22 mm
ACE2485	5	68-73 mm	8 mm	24 mm
ACE2486	5	74-79 mm	8 mm	24 mm
ACE2487	5	80-85 mm	8 mm	24 mm
ACE2488	5	86-91 mm	8 mm	24 mm
ACE2489	5	92-97 mm	8 mm	24 mm



ACE W2 Banding, Housings & Screws

Screw: zinc plated mild steel. Non-perforated band and housing: 17C INOX (AISI 430).

Part No.	Qty
ACE2314	1 Set

Contents: 1 x 9 mm x 30 m band, 1 x pack of 30 housings and screws.



ACE W2 Banding Stainless Steel

Non-perforated band: 17C INOX (AISI 430).

Part No.	Qty	Length	Band Width
ACE2357	1	30 m	9 mm



ACE W2 Housings & Screws

Screw: zinc plated mild steel. Housing: 17C INOX (AISI 430).

Part No.	Pack of
ACE2358	30



ACE W4 INOX T-Bolts

Band, screw, cylinders, flange: 18/8 INOX (AISI 304/A2). Solid head and screw cylinders. Hexagonal head.

Part No.	Pack of	Range	Bolt Size	Band Width
ACE4219	5	17-19 mm	5 mm	18 mm
ACE4220	5	20-22 mm	5 mm	18 mm
ACE4040	5	23-25 mm	5 mm	18 mm
ACE4041	5	26-28 mm	5 mm	18 mm
ACE4042	5	29-31 mm	6 mm	20 mm
ACE4043	5	32-35 mm	6 mm	20 mm
ACE4044	5	36-39 mm	6 mm	20 mm
ACE4045	5	40-43 mm	6 mm	20 mm
ACE4046	5	44-47 mm	6 mm	22 mm
ACE4047	5	48-51 mm	6 mm	22 mm
ACE4048	5	52-55 mm	6 mm	22 mm
ACE4049	5	56-59 mm	6 mm	22 mm
ACE4050	5	60-63 mm	6 mm	22 mm
ACE4051	5	64-67 mm	8 mm	22 mm
ACE4052	5	68-73 mm	8 mm	24 mm
ACE4053	5	74-79 mm	8 mm	24 mm
ACE4054	5	80-85 mm	8 mm	24 mm
ACE4055	5	86-91 mm	8 mm	24 mm
ACE4056	5	92-97 mm	8 mm	24 mm
ACE4057	1	98-103 mm	8 mm	24 mm
ACE4058	1	104-112 mm	8 mm	24 mm



ACE W4 Universal CV Boot Clip

18/8 INOX (AISI 304/A2).

Part No.	Pack of	Range	Band Width
ACE4907	100	20-45 mm	6.4 mm
ACE4908	100	45-120 mm	8 mm



ACE W4 Universal CV Boot Clip Kit

18/8 INOX (AISI 304/A2).

Part No.	Qty	Description
ACE4579	1 Set	100 Piece Set

Contents: 1x 20-45 mm, 1x 45-120 mm



ABRACS
abrasives and accessories

**PRODUCTS
COMING
SOON**

Abracs offer a wide selection of high-quality abrasive products, including cutting discs, grinding wheels, sandpaper, abrasive belts, flap discs and more. Used in various industries, including construction, metalworking, woodworking and automotive repair.



SAS

MAINTAINING AUTOMOTIVE & ENGINEERING PROFESSIONALS FOR OVER 35 YEARS

S-A-S Clear Grease is formulated primarily for dynamic chain applications, where a black, bituminous based product is unacceptable

SAS

S-A-S Clear Grease

For use on areas requiring a tenacious lubricant, whilst retaining a good cosmetic appearance, e.g. Car door locks.

- **Silicone FREE**
- **Does NOT contain PTFE**

Part No. Pack of Size

SAS18 6 500ml Aerosols



Introducing the latest innovation in portable lighting technology: the new VISION range featuring wireless charging

Designed to provide convenience and reliability, these cutting-edge lighting solutions eliminate the hassle of traditional charging cables and allow you to charge up to two devices simultaneously with a separate charging pad.


With our wireless charging system you no longer need to fumble with tangled cords. Simply place your lamp or torch onto the magnetic charging pad and it will start charging. This efficient and user-friendly technology ensures that your lighting devices are always ready for use whenever you need them.

VISION lighting products are crafted from the highest quality materials, ensuring durability and long-lasting performance.

The wireless charging pad is available either separately or bundled with one of the products from the VISION wireless charging range and also charges compatible mobile phones.



PAD ALSO AVAILABLE BUNDLED WITH A VISION WIRELESS LAMP



EHLW410

EHLW420

VISION wireless Fast Charging Pad

- Supplied with 1m USB Type C cable and mains charging adaptor.
- **Input: USB-C Port: 5-12V DC, 20W**
- **Output: Max 10+5W per pad**
- **Charge Time: Approx 3.0-5.0 hours depending on battery pack**
- **Charges two devices simultaneously**
- **Works with compatible mobile phones**
- **IK08 shock resistance**
- **Strong magnets on the rear allow for easy mounting on magnetic surfaces as well as built-in screw holes for permanent mounting**



EHLW430

EHLW440

Part No.	Qty	Description
EHLW400	1	Fast Charging Pad
EHLW411	1 Kit	Spot Light + Pad
EHLW421	1 Kit	Slim Insp Lamp + Pad
EHLW431	1 Kit	Adjust Torch + Pad
EHLW441	1 Kit	Work Lamp + Pad



VISION wireless Compact Spot Light

Supplied with 1m USB Type C cable and mains charging adaptor.

- Lamp LED 10W COB
- Lumen and work time:
Low 250LM for 12 hours
Medium 500LM for 6 hours
High 1000LM for 3 hours
- Torch LED 3W
- Lumen and work time:
300LM for 9.5 hours
- Supports Wireless Charging
- Integrated Stand - lamp/torch can be positioned at a multitude of angles
- Powerful stand magnet for hands free use
- IP65 Ingress Protection Rating

Part No.	Qty	Description
EHLW410	1	Spot Light
EHLW411	1 Kit	Spot Light + Pad



VISION wireless Slim Inspect Lamp

Supplied with 1m USB Type C cable and mains charging adaptor.

- Lamp LED 10W COB
- Lumen and work time:
Low 200LM for 12 hours
Medium 500LM for 6 hours
High 1000LM for 3 hours
- Torch LED 2W
- Lumen and work time:
200LM for 9 hours
- Supports Wireless Charging
- Powerful Base Magnet for hands free use
- 250° horizontal and 150° vertical folding head
- IP54 Ingress Protection Rating

Part No.	Qty	Description
EHLW420	1	Slim Insp Lamp
EHLW421	1 Kit	Slim Insp Lamp + Pad



VISION wireless Adjust Beam Torch

Supplied with 1m USB Type C cable and mains charging adaptor.

- Lamp LED 10W
- Lumen and work time:
Low 200LM for 12 hours
Medium 450LM for 6 hours
High 900LM for 3 hours
- Supports Wireless Charging
- Powerful Base Magnet for hands free use
- 180° swivel head
- IP54 Ingress Protection Rating

Part No.	Qty	Description
EHLW430	1	Adjust Torch
EHLW431	1 Kit	Adjust Torch + Pad



VISION wireless Work Lamp/Flex Light

Supplied with 1m USB Type C cable and mains charging adaptor.

- Lamp LED 15W COB
- Lumen and work time:
Low 300LM for 14 hours
Medium 800LM for 7.5 hours
High 1500LM for 3.5 hours
- Torch LED 3W
- Lumen and work time:
300LM for 16 hours
- Supports Wireless Charging
- Integrated Hook - lamp/torch can be positioned at a multitude of angles
- Powerful Rear Magnet for hands free use
- IP65 Ingress Protection Rating

Part No.	Qty	Description
EHLW440	1	Work Lamp
EHLW441	1 Kit	Work Lamp + Pad

VISION Classics

VISION



VISION 1,000lm SMD Hand Lamp + UV Torch

Complete with USB charging lead, mains plug and car adapter.

- SMD Lamp provides 10W/1000 Lumens of white light
- 3W UV LED Torch provides 395 Lumens of UV light
- Integrated Hook and Stand - lamp/torch can be positioned at a multitude of angles
- 2 x Rear Magnets & Flexible Magnetic Base - position the lamp/torch with precision and accuracy

Part No. Qty Description

EHL301 1 Compact Hand Lamp + UV Torch

VISION



VISION 800lm COB Slimline Dimmable Inspection Lamp + Torch

Complete with USB charging lead, mains plug and car adapter.

- COB Lamp provides 10W/800 Lumens of white light
- 2W LED Torch provides 150 Lumens of white light
- Integrated Magnetic Stand and Hook - position the lamp/torch with precision and accuracy

Part No. Qty Description

EHL303 1 Slimline Dimmable Inspection Lamp + Torch

VISION



VISION 1,000lm COB Hand Lamp & Dock

Complete with USB charging lead, mains plug and car adapter. Wall mountable.

- COB Lamp provides 10W/1000 Lumens of white light
- 3W LED Torch provides 220 Lumens of white light
- Integrated Hook and stand - lamp/torch can be positioned at a multitude of angles
- 2 x Rear Magnets & Flexible Base - position the lamp/torch with precision and accuracy

Part No. Qty Description

EHL302 1 Hand Lamp + Charging Dock

VISION



VISION 350lm LED Motion Sensor Head Torch

Complete with USB charging lead, mains plug and car adapter.

- LED Lamp provides:
 - 100% position: approx 350LM for 3.5 hours use
 - 50% position: approx 160LM for 7.0 hours use
 - 10% position: approx 35LM for 30 hours use
- Operated by on/off switch or by motion sensor

Part No. Qty Description

ETL201 1 Motion Sensor Head Torch

VISION



VISION Slimline COB LED Inspection Lamp

Complete with USB charging lead, mains plug and car adapter.

- LED: 5W COB LED, 1W torch, 6000-7000K, Ra. 70
- Lumen and work time:
Switch 100% position: 500LM, approx 2.5 hrs
Switch 50% position: 250LM, approx 5.0 hrs
Switch 10% position: 50LM, approx 20 hrs
- Battery: 3.7V2500mA Lithium battery
- Charge time: approx 5.5 hours
- Dimensions(W/D/H): 3.5 x 4.5 x 32/16.5cm
- Wet/Damp rated: IP20
- Strong magnet and hook in bottom
- Overload protection
- Product weight: 0.30kg

Part No.	Qty	Description
EHL305	1	Slimline Inspection Lamp

VISION




VISION Flexible Magnetic Hand Lamp/Torch

230V mains and 12V DC in-vehicle charging adaptors included.

- 6 x 0.5W High Power SMD LED Lamp: 300 Lumens
- Run time 3.5 hours
- 1 x 1W LED Torch
- 2 x Rear Magnets & Flexible Magnetic Base

Part No.	Qty	Colour
EHL300B	1	Black/Blue
EHL300R	1	Black/Red
EHL300LR	1	Hi-Vis Orange
EHL300LY	1	Hi-Vis Yellow

VISION



VISION 2,700lm COB Work Light

Complete with USB charging lead, mains plug and car adapter.

- LED Lamp provides:
100% position: approx 2.5 hours use
50% position: approx 5.0 hours use
- USB Powerbank output socket 5V Max 1000mA

Part No.	Qty	Description
EWL102	1	Work Light

VISION



VISION Zoom Focus LED Mini Work Light

230V mains and 12V DC in-vehicle charging adaptor included.

- 20W COB LED provides 1800 Lumens
- Dual mode - 50%/100% Lumen output
- Run time up to 6 hours
- USB Powerbank - Output socket (5V Max. 2A)
- Wet location use IP54
- Heavy duty cast aluminium housing
- Battery power indicator
- Magnetic base (available separately)

Part No.	Qty	Description
EWL100	1	Cordless 20W Work Light
EWL101	1	Magnetic Clip-on Base

NO.PL4TE

Number Plate Fasteners

FIXING5



Assorted Box of Number Plate Fasteners

White, Yellow, Black.

Part No. Qty Box of

AB62 1 240 Pairs

1 x Self-Tapping Screw, Pan Head - Poz: 8 x 3/4" (4.9 x 19 mm).
3 x Hinged Caps: White, Yellow, Black.
3 x Plastic Bolts & Nuts: White, Yellow, Black.



Number Plate Fasteners - Plastic Number Plate Bolts & Nuts - Short

Part No.	Pack of	Colour	Size
NP1	100 Pairs	No. Plate White	6 x 18 mm
NP2	100 Pairs	Yellow	6 x 18 mm
NP5	100 Pairs	Black	6 x 18 mm



Number Plate Fasteners - Domes & Cups

Part No.	Pack of	Colour
NP13	100 Pairs	White
NP14	100 Pairs	Yellow
NP15	100 Pairs	Black
NP23	100 Pairs	Blue




Assorted Box of Number Plate Fasteners with Plastic Head - Short

Self tapping screws with plastic head, 4.8 x 18 mm.

Part No. Qty Box of

AB184 1 260 Pieces

4 x Colours: White Yellow, Black, Blue.



Number Plate Fasteners - Self-Tappers with Hinged Caps

Part No.	Pack of	Colour	Size
NP3	100 Pairs	White	4.2 x 19 mm
NP4	100 Pairs	Yellow	4.2 x 19 mm
NP6	100 Pairs	Black	4.2 x 19 mm
NP19	100 Pairs	Blue	4.2 x 19 mm
NP37	100 Pairs	Green	4.2 x 19 mm



Number Plate Fasteners - Self-Tappers with Plastic Head - Short

Part No.	Pack of	Colour	Size
NP16	100	White	4.8 x 18 mm
NP17	100	Yellow	4.8 x 18 mm
NP18	100	Black	4.8 x 18 mm
NP20	100	Blue	4.8 x 18 mm
NP39	100	Green	4.8 x 18 mm



Number Plate Fasteners - Self-Tappers with Domes and Cups

Part No.	Pack of	Colour	Size
NP7	100 Sets	White	4.2 x 19 mm
NP8	100 Sets	Yellow	4.2 x 19 mm
NP9	100 Sets	Black	4.2 x 19 mm
NP22	100 Sets	Blue	4.2 x 19 mm



Number Plate Fasteners - Plastic Number Plate Bolts & Nuts - Long

Part No.	Pack of	Colour	Size
NP24	100 Pairs	No. Plate White	6 x 22 mm
NP25	100 Pairs	Yellow	6 x 22 mm
NP26	100 Pairs	Black	6 x 22 mm




Assorted Box of Security Number Plate Fasteners

Slotted One Way/Clutch Head Screws (Tamperproof).

Part No. Qty Box of


AB222 1 200 Pieces

1 x Self-Tapping Screw, Pan-Head - One-Way: 8 x 3/4" (4.9 x 19 mm).
4 x Hinged Caps: White, Yellow, Black, Blue.



Number Plate Fasteners - Self-Tappers with Plastic Head - Long

Part No.	Pack of	Colour	Size
NP10	100	White	4.8 x 24 mm
NP11	100	Yellow	4.8 x 24 mm
NP12	100	Black	4.8 x 24 mm
NP21	100	Blue	4.8 x 24 mm
NP40	100	Green	4.8 x 24 mm



Security Number Plate Fasteners - Self-Tappers with Hinged Caps

Part No.	Pack of	Colour	Size
NP33	100 Pairs	White	4.2 x 19 mm
NP34	100 Pairs	Yellow	4.2 x 19 mm
NP35	100 Pairs	Black	4.2 x 19 mm
NP36	100 Pairs	Blue	4.2 x 19 mm
NP38	100 Pairs	Green	4.2 x 19 mm

New Absorbents Range from



Sustainable ✓ Low Carbon Footprint ✓ More Cost-Effective ✓



EVO spill products provide a unique solution for companies pursuing higher ethical and environmental standards without compromising performance and value.

- Each product in the range is manufactured from recycled or sustainable material
- All EVO products are manufactured in Britain with a far smaller carbon footprint than the vast majority of spill control products produced overseas
- EVO poly-wrap and box packaging is fully recyclable



EVO Recycled Wood Fibre Absorbent

Fire retardant recycled wood fibre absorbent. For use on industrial spillages and general clean-up duties. The lightweight loose particulate is easy to handle and absorbs liquids quickly and easily.

- Leaves surfaces safe, clean and dry
- Enviro-friendly (recycled material)
- Lightweight product to transport and use
- Fireproof
- Harmless to humans, animals and plants



Part No.	Qty	Size
VC689	1 Bag	30 Litres



EVO Recycled Absorbent Pads

Ideal for companies seeking to reduce their environmental impact. Can be used in all sectors of industry to absorb hydraulic oil, engine oil, gear oil, lubricating oil, coolant, fuels and mild acids

- Manufactured from 85% recycled natural fibres
- Sustainable
- Higher capacity than comparable polypropylene absorbents
- Greater fluid retention avoids secondary contamination during clean-up
- Cost-effective
- Low carbon footprint
- Fully recyclable packaging



Part No.	Qty	Size
VC688	50 Pads	50 x 40 cm



Spillage Control



General Purpose Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No.	Box of	Pad dimensions	Weight
VC670	50 Pads	48 x 43 cm	175 gsm



General Purpose Absorbent Roll - Heavy Duty

Part No.	Qty	Size	Weight
VC672	1 Roll	50 cm x 50 m Roll	350 gsm



Oil & Fuel Only Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.


Part No.	Box of	Pad dimensions	Weight
VC671	50 Pads	50 x 40 cm	175 gsm



General Purpose Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No.	Box of	Pad Dimensions	Weight
VC670B	200 Pads	48 x 43 cm	175 gsm



Oil & Fuel Only Absorbent Roll - Heavy Duty

Part No.	Qty	Size	Weight
VC673	1 Roll	50 cm x 50 m Roll	350 gsm



Oil & Fuel Only Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No.	Box of	Pad Dimensions	Weight
VC671B	200 Pads	50 x 40 cm	175 gsm



'OIL-DRI' Absorbent Floor Granules

Ideal for oil and grease. Good absorbency. Good resistance to breakdown. White granules.

Part No.	Qty	Size	Weight
VC679	1	20 Litre Bag	16 kg

- The original Oil-Dri Absorbent Granule
- Ideal for oil and grease
- Good absorbency
- Good resistance to breakdown
- Manufactured in the UK using recycled materials



'Isol8' Organic Absorbent

Multipurpose: cleans up spills, cleans hands and machinery. Absorbs: Lubrication Oil, Hydraulic Oil, All Paints, Petrol, Diesel, Grease, Anti-freeze, Acids, Alkalines, Liquid Fats, Water, Body Fluids.

Part No.	Qty	Size	Weight
VC678	1 Bag	10 Litre Bag	1.3 kg
VC678B	5 Bags	10 Litre Bags	1.3 kg

General Purpose 'Mini' Spill Kit - 9 Litres

Mini spill kit in convenient sealed bag. Absorbs: 9 Litres.



Part No.	Qty	Description
VC682	1 Kit	7 Piece Kit
Kit contents: 5 x Pads. 1 x Cushion. 1 x Disposal Bag & Tie.		

Oil & Fuel Only 'Mini' Spill Kit - 10 Litres

Mini spill kit in convenient sealed bag. Absorbs: 10 Litres.



Part No.	Qty	Description
VC683	1 Kit	7 Piece Kit
Kit contents: 5 x Oil Pads. 1 x Cushion. 1 x Disposal Bag & Tie.		



Oil & Fuel Only Spill Response Kit - 20 Litres

Response kit designed for smaller spills. Suitable for any type of oil and hydrocarbons. Absorbs: 20 Litres. Supplied in a red PVC holdall c/w carrying/hanging straps.

Part No.	Qty	Description
VC684	1 Kit	19 Piece Kit
Kit contents: 12 x Oil Pads. 2 x Oil Socks. 1 x Pair of Gloves. 3 x Disposable Bags & Ties. 1 x Red PVC Holdall.		

General Purpose Spill Kit - 19 Litres

Quick response kit designed for smaller spills. Absorbs: 19 Litres. Weight: 2.5 kg.



Part No.	Qty	Description
VC680	1 Kit	13 Piece Kit
Kit contents: 10 x Pads. 2 x Socks: 8 cm x 1.2 m. 1 x Disposal Bag & Tie: (H x W x D) 43 x 52 x 10 cm.		

Oil & Fuel Only Spill Kit - 22 Litres

Quick response kit designed for smaller spills. Suitable for any type of oil and hydrocarbons. Absorbs: 22 Litres.



Part No.	Qty	Description
VC681	1 Kit	13 Piece Kit
Kit contents: 10 x Oil Pads. 2 x Socks: 8 cm x 1.2 m. 1 x Disposal Bag & Tie: (H x W x D) 43 x 52 x 10 cm.		



Oil Only Spill Response Kit - 50 Litres

Response kit designed for larger spills. Suitable for any type of oil and hydrocarbons. Absorbs: 50 Litres. Supplied in a red PVC holdall c/w carrying/hanging straps.

Part No.	Qty	Description
VC685	1 Kit	44 Piece Kit
Kit contents: 30 x Oil Pads. 3 x Oil Socks. 3 x Cushions. 1 x Pair of Gloves. 1 x Pair of Goggles. 5 x Disposable Bags & Ties. 1 x Red PVC Holdall.		

General Purpose Maintenance Socks

For containment and absorbing spills, and placing around machinery to prevent leaks from spreading causing hazards. Absorbs: 3.5 Litres per sock.

Part No.	Pack of	Size
VC686	2	8 cm x 1.2 m



Oil & Fuel Only Maintenance Socks

Oil only socks, strong tubular knitted outer for extra durability. Absorbs: 3.8 Litres per sock.

Part No.	Pack of	Size
VC687	2	9 cm x 1.2 m



Multi-Purpose Drain Pan

Polyethylene with raised platform for cleaning parts, etc. Diameter x Height: 40 cm (16") x 10.2 cm (4").

Part No.	Qty	Capacity
JUG12	1	6 Litre



Oil/Fluid Drain Pans

Complete with pouring spout and steadying handle.

Part No.	Qty	Capacity
JUG16	1	7.6 Litre
JUG17	1	14 Litre

Janitorial

SAS



S-A-S Heavy Duty Surface Degreaser

Part No.	Qty	Size
SAS1059	1	5 Litre Container

SAS



S-A-S Citrus Fragrance All Purpose Cleaner

Part No.	Qty	Size
SAS2010	1	5 Litre Container

NILCO
Cleaning Solutions



NILCO Bactericidal Washing Up Liquid

Part No.	Qty	Size
NIL630	1	5 Litre Container



Spray Cleaner with Bactericide

Part No.	Qty	Pack Size
VC511	1	750 ml Trigger Spray
VC512	1	5 Litre Container

SAS



S-A-S Non-Abrasive Hand Wipes

Part No.	Qty	Size
SAS520	1	Bucket of 150 Wipes

SAS



S-A-S Abrasive Hand Wipes

Part No.	Qty	Size
SAS527	1	Bucket of 100 Wipes

SAS



S-A-S Red Tough Grit Gel Hand Cleaner - Heavy Duty

Part No.	Qty	Size
SAS505	1	5 Litre Bucket
SAS515	1	15 Litre Bucket



SCRUBS-IN-A-BUCKET Alcohol Free Hand Cleaner Towels


Part No.	Qty	Description
VC534	1	Tub of 72

SAS



S-A-S 10 Litre Container - Pump

Part No.	Qty	Description
SAS512	1	10 Litre Pump
SAS514	1	10 Litre Container



Nail Brushes

Part No.	Pack of	Description
WS29	6	Plastic Nail Brushes



Nail Brushes

Part No.	Pack of	Description
WS21	3	Wooden Nail Brushes



Toilet Rolls

Part No.	Pack of	Description
VC524	36 Rolls	Toilet Rolls




Blue Paper Wipes - Small Rolls

Part No.	Pack of	Description
VC529	6 Rolls	Small Blue Rolls



Small Paper Roll Dispenser Unit

Part No.	Qty	Description
VC559	1	Dispenser Unit



Blue Paper Wipes - Large Rolls

Part No.	Pack of	Description
VC537	2 Rolls	Large Blue Rolls



Large Paper Roll Floor Stand

Part No.	Qty	Description
VC526	1	Floor Stand



Basic Coloured Industrial Wipes

Part No.	Qty	Size
VC667	1	10 kg Bag




General Purpose Industrial Wipes

Part No.	Qty	Size
VC669	1	10 kg Bag



Standard White Industrial Wipes

Part No.	Qty	Size
VC668	1	10 kg Bag



Stales (Broom Handles) - 1 1/8" (28.7 mm) Ø

Suitable for Part Nos WB5, WB9 & WB11.

Part No.	Pack of	Length
WB7L	2	5 ft (1.52 m)



Stales (Broom Handles) - 15/16" (23.8 mm) Ø

Suitable for Part Nos WB3, WB4, WB12, WB75 & WB81.

Part No.	Pack of	Length
WB6	2	4 ft (1.22 m)
WB6L	2	5 ft (1.52 m)



Yard Broom Heads - Stiff Bass

For use with 15/16" Ø handle.

Part No.	Pack of	Width	Suits Stale Part No.
WB4	2	13" (33 cm)	WB6/WB6L



Broom Heads - Soft Natural Coco

Part No.	Pack of	Width	Suits Stale Part No.
WB3	4	12" (30 cm)	WB6/WB6L
WB9	2	18" (46 cm)	WB7L
WB5	2	24" (61 cm)	WB7L



Metal Stays for Brooms

Suitable for Part No.s WB4, WB5 & WB9.

Part No.	Pack of	Description
WB8	2	Metal Stays



Broom Head - Soft PVC Bristles

For use with 15/16" Ø handle.

Part No.	Qty	Width	Suits Stale Part No.
WB75	1	275 mm (11")	WB6/WB6L



Hand Brushes - Medium Bristles

Part No.	Pack of	Description
WB14	2	Hand Brushes



Dust Pan - Metal

Part No.	Qty	Description
WB15	1	Metal Dust Pan



Dustpan & Brush

Plastic.

Part No.	Qty
WB72	2 Piece Set



Light Duty Metal Fitted Rubber Squeegee

For use with 15/16" Ø handle.

Part No.	Qty	Length	Suits Stale Part No.
WB12	1	450 mm	18" WB6/WB6L



Mop Head - String 16 oz

For use with 15/16" Ø handle.

Part No.	Qty	Description	Suits Stale Part No.
WB81	1	Mop Head	WB6/WB6L



Mop Bucket - Metal

Galvanised. Complete with wringing cone.

Part No.	Qty	Description
JUG11	1	Mop Bucket

VISION

WIRELESS CHARGING



1000LM COB COMPACT SPOT LIGHT

EHLW410

COMPATIBLE WITH THE WIRELESS CHARGING PAD

Introducing the NEW VISION Wireless 1000LM COB Compact Spotlight, the versatile lighting solution designed to meet your illumination needs. This compact and powerful spotlight is packed with features that make it a must-have light for your life.

The highlight of this spotlight is its COB Lamp, which provides an impressive 10W/1000 lumens of white light. With three adjustable brightness levels, you can customise the lighting output to suit your requirements. The run time options include Low mode (250LM) for 12 hours, Medium mode (500LM) for 6 hours, and High mode (1000LM) for 3 hours.

Additionally, the spotlight comes with a 3W LED Torch that offers 300 lumens of white light. The torch has a run time of 300 lumens for 9.5 hours, providing a reliable backup light source when needed.

The spotlight supports wireless charging, allowing you to conveniently charge it without the hassle of cables. It also includes a PD 20W Mains Plug and PD 20W USB-C charging lead, giving you the flexibility to charge it from mains power or any standard USB power source.


With an integrated stand, the lamp can be positioned at a multitude of angles, providing hands-free lighting in any situation. Furthermore, the spotlight features a powerful stand magnet, allowing you to securely attach it to metal surfaces for convenient use.

Whether you're camping, working in a dimly lit area, or in need of emergency lighting, the NEW VISION Wireless 1000LM COB Compact Spotlight is the perfect companion, offering powerful and versatile illumination whenever and wherever you need it.



							
---	---	---	---	---	--	---	---

PART NO	DESCRIPTION	QTY
EHLW410	Wireless 1000LM COB Compact Spot Light	1
EHLW411	Wireless 1000LM COB Compact Spot Light + Wireless Charging Pad	1



AVAILABLE INDIVIDUALLY
OR BUNDLED WITH
WIRELESS FAST CHARGING PAD

Assorted Boxes



'Max Box' Assortment of Terminals Insulated

Part No.	Qty	Box of
AB509	1	600 Pieces
4 x Push-on Females: 2.8 mm Red, 6.3 mm Red, 6.3 mm Blue, 9.5 mm Yellow. 3 x Push-on Females, Fully Insulated: 6.3 mm Red, 6.3 mm Blue, 6.3 mm Yellow. 1 x Piggyback: 6.3 mm Blue. 2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue. 2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue. 2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue. 3 x Butt Connectors: 3.3 mm Red, 4.0 mm Blue, 5.5 mm O.D. Yellow. 7 x Rings: Ø 5.3 mm (2BA) Red, 5.3 mm (2BA) Blue, 6.4 mm (1/4") Blue, 6.4 mm (1/4") Yellow, 8.4 mm (5/16") Blue, 8.4 mm (5/16") Yellow, 10.5 mm (3/8") Yellow.		



Assorted Box of Mini Blade Fuses

Part No.	Qty	Box of
AB165N	1	200 Pieces
10 x Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.		



Assorted Box of Standard Blade Fuses with Fuse Holders

Part No.	Qty	Box of
AB164	1	105 Pieces
9 x Standard Blade Fuses, Amperages: 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A. 1 x Holder: White.		

Assorted Box of Split Pins - Imperial (Large Sizes)

Zinc plated steel. DIN 94 / BS 1574.



Part No.	Qty	Box of
AB73	1	225 Pieces
5 x Sizes, O.D. x Length: 1/8" x 1 1/2" (3.2 x 38 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 3" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).		

Assorted Box of Self-Tapping Screws Flanged - Pozi Black

AB Type. Black zinc plated steel. BS 4174.

Part No.	Qty	Box of
AB71	1	700 Pieces
2 x No. 6: x 1/2", 3/4". 4 x No. 8: x 1/2", 3/4", 1", 1 1/2". 3 x No. 10: x 1/2", 3/4", 1".		

Assorted Box of Self-Tapping Screws Pan Head - Pozi (Small Sizes)

AB Type. Zinc plated steel. DIN 7981/C/Z.



Part No.	Qty	Box of
AB2	1	700 Pieces
1 x No. 4: x 1/2". 2 x No. 6: x 1/2", 3/4". 3 x No. 8: x 1/2", 3/4", 1". 3 x No. 10: x 1/2", 3/4", 1". 2 x No. 12: x 3/4", 1".		

Assorted Box of Split Pins - Imperial (Small Sizes)

Zinc plated steel. DIN 94 / BS 1574.

Part No.	Qty	Box of
AB32N	1	800 Pieces
8 x Sizes, O.D. x Length: 1/16" x 1" (1.6 x 25 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.4 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 40 mm), 9/64" x 1 1/2" (3.6 x 40 mm), 5/32" x 1 5/8" (4.0 x 40 mm).		

Assorted Box of Repair Washers - Imperial

Zinc plated steel. 1.37/1.69 mm thickness.



Part No.	Qty	Box of
AB22N	1	220 Pieces
6 x Sizes (I.D. x O.D.): 3/16" x 1", 1/4" x 1", 1/4" x 1 1/2", 5/16" x 1", 5/16" x 1 1/2", 3/8" x 1 1/2".		

Assorted Box of Bonded Seals (Dowty Washers) - Metric

Metal with black nitrile rubber (NBR). Self centralising.

Part No.	Qty	Box of
AB107	1	90 Pieces
8 x Sizes: M10, M12, M14, M16, M18, M20, M22, M24.		

Assorted Box of Set Screws High Tensile - Metric

Zinc plated steel. DIN 933 Grade 8.8.

Part No.	Qty	Box of
AB9N	1	150 Pieces
1 x M5: x 25 mm. 1 x M6: x 25 mm. 2 x M8: x 25, 40 mm. 2 x M10: x 25, 40 mm.		



Assorted Box of Grease Nipples - Metric


Part No.	Qty	Box of
AB115N	1	125 Pieces
4 x Straights (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm. 4 x Angled 45° (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm. 4 x Angled 90° (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.		



O-Rings Service Kit - Metric

Nitrile rubber. BS 4518.

Part No.	Qty	Box of
AB100	1	404 Pieces
30 x Sizes (Peg Ref) I.D. x Thickness: 3 x 2 (006), 4 x 2 (007), 5 x 2 (008), 6 x 2 (009), 7 x 2 (010), 8 x 2 (011), 10 x 2 (012), 10 x 2.5 (110), 11 x 2.5 (111), 12 x 2.5 (112), 14 x 2.5 (113), 16 x 2.5 (114), 17 x 2.5 (115), 19 x 2.5 (116), 19 x 3 (210), 20 x 3 (211), 22 x 3 (212), 24 x 3 (213), 25 x 3 (214), 27 x 3 (215), 28 x 3 (216), 30 x 3 (217), 32 x 3 (218), 33 x 3 (219), 35 x 3 (220), 36 x 3 (221), 38 x 3 (222), 38 x 4 (325), 41 x 4 (326), 44 x 4 mm (327).		



Storage Rack for AB 'Flip Box'

PVC coated wire. Dimensions (H x W x D): 460 x 300 x 210 mm. (Boxes shown NOT included).

- Holds up to 10 boxes for fast and easy retrieval.
- Can be free-standing or wall mounted.

Part No.	Qty	Description
ABR	1	Storage Rack

Wheels and Tyres



Tyre Fill Cartridge

Tyre Fill is ideal for repairs to conveyors, tyres, bumpers and other heavy duty rubbers.

- A flexible, rapid curing two part repair system.
- The product is dispensed using the true mix cartridge system to guarantee proper mixing and ease of use.

Part No.	Qty	Description
TY340	1	50ml Cartridge



Applicator Nozzles

Suitable for 50ml 2-part syringe cartridges (suits Part No.s VIP25C & VIP21B).

Part No.	Pack of	Description
VIP37	12	Applicator Nozzles



Heavy Duty Applicator Gun

Suitable for 50ml 2-part syringe cartridges.

Part No.	Qty	Description
TL887	1	50ml Syringe Applicator Gun



REMA TIP TOP Combi Plug Patches - 'Minicombi'

Combined patch/plug tyre repair for punctures to the tread of both radial and cross-ply tyres.

Part No.	Qty	Kit No.	For Tread Damage
TY136	Pack of 20	A6	Up To 6 mm

Pack contents: 20 x Repair units with metal pilot

Part No.	Qty	Kit No.	For Tread Damage
TY136B	Box of 40	A6	Up To 6 mm

Box contents: 20 x Repair units with metal pilot. 1 x Instruction manual



REMA TIP TOP 'Cement SVS-VULC' Vulcanising Fluid

For use with tube patches.

Part No.	Qty	Size
TY100	1	175g Can c/w Brush



REMA TIP TOP 'SC-BL' Special Blue Cement

For use with Radial Repair Patches and Combi Plug-Patches.

Part No.	Qty	Size
TY130	1	200g Can & Brush



REMA TIP TOP Liquid Buffer

Removes contaminants, silicones, talc's and other mould release agents from tubes and the tyre inner liner prior to mechanical buffing.

Part No.	Qty	Size
TY330	1	500g Aerosol
TY331	1	1 Litre Can



Bead Sealer

Can be used on cross-ply and radial tyres. Brush in can lid.

Part No.	Qty	Size
TY310	1	1 Litre Can



REMA TIP TOP Bead Paste 'Black Tyre Paste'

Used for mounting and demounting all types and sizes of tyres.

- Black in colour - Leaves no visible residue on tyre after mounting

Part No.	Qty	Size	Suits
TY301	1	5 kg Tub	Cars, CV



REMA TIP TOP 'MONT 2000' Bead Lubricant (Tyre Soap)

White. For all standard mounting application.

- Designed for car and truck tyre mounting

Part No.	Qty	Size
TY300	1	5 kg Tub



Tyre Valve Caps

Part No.	Pack of	Type
TY120	100	Plastic - Black



Tyre Valves - Snap-in Car/Van

Part No.	Pack of	Fits Hole x Length	TR No.	Max Pressure
TY126	25	11.3 x 49 mm	414	4.5 bar
TY126B	100	11.3 x 49 mm	414	4.5 bar



Tyre Valves - Snap-in HP Van/Transit

Part No.	Qty	Rim Hole	TR No.	Max Pressure
TY257	10	11.5 mm	600	5.5 bar



Tyre Valve Extensions - PVC Truck

Plastic.

Part No.	Qtyw	Size
TY246	10	150 mm
TY247	10	170 mm



Valve Core Screwdrivers

Part No.	Pack of	Description
TY290	5	Valve Core Screwdrivers



Tyre Valve Cores

Short.

Part No.	Pack of	Description
TY121	100	Tyre Valve Cores

Winter Products & Safety Clothing



Extending Shovel

Aluminium with heavy duty nylon head and handle.
Overall length: 770 mm (Closed), 980 mm (Extended).

Part No.	Qty	Description
TL8020	1	Extending Shovel



3-in-1 Ice Scraper

Part No.	Qty	Description
TL8022	1	Ice Scraper with Squeegee



5" Heavy Duty Ice Scraper

Part No.	Qty	Description
TL8021	1	Ice Scraper



DELTAPLUS Bodywarmer - Black/Grey

- PVC-coated polyester bodywarmer.
- Collar with polar lining for optimal comfort
- 3 pockets
- Extra comfort opening on both sides
- Lower back protection

Part No.	Qty	Size
WS458M	1	M
WS458L	1	L
WS458XL	1	XL



DECOSOL Power De-icer

High strength formula quickly removes frost and ice from windows and windscreens. Highly concentrated to prevent refreezing.

Part No.	Pack of	Size
DSL31	6	750ml Sprayers
DSL35	12	500ml Sprayers



CLEARALEX Concentrated Screen Wash

Designed with powerful detergents and an anti-freeze agent to prevent washer jets freezing in the wintertime, and to clear summer fly squash.

- Lowest working temperature: -7.6°C.

Part No.	Pack of	Size
DSL60	2	5 Litre Containers



S-A-S Concentrated Screen Wash

Designed with powerful detergents and an anti-freeze agent to prevent washer jets freezing in the wintertime, and to clear summer fly squash.

- Lowest working temperature: -7.6°C.

Part No.	Pack of	Size
SAS1060/2	2	5 Litre Containers



DELTAPLUS Thermal Protection Winter Glove

Inside: 100% acrylic gauge 10.
Outside: 100% polyamide gauge 15.
Full latex coating of the hand.
Second foam latex coating on palm and fingertips.

Part No.	Qty	Size	EN388 Rating
WS325	1 Pair	L	2231
WS326	1 Pair	XL	2231

Hi-Vis Vest - Yellow

Conforms to EN 471 Class 2. 100% polyester fabric hook & loop fastening.



Part No.	Qty	Size	Colour
WS400	1	M	Fluorescent Yellow
WS401	1	L	Fluorescent Yellow
WS402	1	XL	Fluorescent Yellow
WS405	1	XXL	Fluorescent Yellow

Hi-Vis Vest - Orange

Conforms to EN 471 Class 2. 100% polyester fabric hook & loop fastening.



Part No.	Qty	Size	Colour
WS459L	1	L	Fluorescent Orange
WS459XL	1	XL	Fluorescent Orange



DELTAPLUS Rain Suit

Approved to EN ISO 13688:2013 / EN343:2003 A1:200.

Weatherproof Rating 3 - 1*.

Part No.	Qty	Size	Chest	Waist
WS455L	1 Set	L	52/54	42/44
WS455XL	1 Set	XL	56/58	46/48



DELTAPLUS Nubuck Leather Hiker Safety Boots - Black

Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Upper: Cow Nubuck. Midsole: Steel. Outsole: PU/rubber. Lining: Polyester. Insole: Removable, polyester 4 mm EVA.

• Ideal for craftsmen, light industry and service logistics

Part No.	Qty	Size UK (EU)	Class	Performance
WS55908	1 Pair	8 (42)	S1P HRO	SRC
WS55909	1 Pair	9 (43)	S1P HRO	SRC
WS55910	1 Pair	10 (44.5)	S1P HRO	SRC

Batteries & Jump Starting

PROCELL®
BY THE DURACELL COMPANY



DURACELL 'Procell Constant' Alkaline Batteries

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT308	10	AAA	1.5V	(LR03)
BAT307	10	AA	1.5V	(LR6)
BAT306	10	C	1.5V	(LR14)
BAT305	10	D	1.5V	(LR20)
BAT309	10	9V	(PP3)	

DURACELL®



DURACELL Plus Alkaline Batteries

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT108	10 x 4	AAA	1.5V	(LR03)
BAT107	20 x 4	AA	1.5V	(LR6)
BAT106	10 x 2	C	1.5V	(LR14)
BAT105	10 x 2	D	1.5V	(LR20)
BAT109	10 x 1	9V	(PP3)	



Booster Cables/ Jump Leads - 16 mm²

- Welding cable remains flexible even in extreme cold.
- Exceptional toughness and durability.
- Resistant to oil, Heat, abrasion, ozone and most solvents - will not sustain combustion.
- Extra Heavy Duty Clips.
- Clip insulation can be removed to provide traditional clip design.

Part No.	Qty	Length	Amp Cont.	Amp Max
BC1	1	12 ft (3.6 m)	100 A	300 A
BC3	1	16 ft (4.8 m)	110 A	300 A
BC4	1	32 ft (9.6 m)	100 A	300 A

Heavy Duty Booster Cables/ Jump Leads - 25 mm²

- Welding cable remains flexible even in extreme cold.
- Exceptional toughness and durability.
- Resistant to oil, Heat, abrasion, ozone and most solvents - will not sustain combustion.
- Extra Heavy Duty Clips.
- Clip insulation can be removed to provide traditional clip design.

Part No.	Qty	Length	Amp Cont.	Amp Max
BC5	1	16 ft (4.8 m)	170 A	450 A

RING®



RING High Power Micro Jump Starter


A powerful, safe and compact Lithium Cobalt LiCoO₂ jump starter, ideal for small to medium cars and vans. Able to start 12V vehicles up to 3L. Also provides power to recharge electronic gadgets. Compact design fits easily into your glove box, without compromising on power.

- Powerbank function
- Fast 3hr recharge time - micro USB charging cable included
- Suitable for small to medium cars and vans up to 3L
- Intelligent clamps safely manage power between the jump starter and vehicle
- Reverse polarity, short circuit and anti-spike protection
- Includes integrated LED torch
- Rechargeable batteries included

Part No.	Qty	Dimensions	Voltage	Output
ERPLL300	1	31 x 163 x 90 mm	12V	300A

Autobulbs


NEOLUX®
GERMAN TECHNOLOGY



NEOLUX
Halogen Headlamps
H1 Cap P14.5s

Part No.	Qty	Volts/Watts	ECE No.
EB448	10	12V 55W	H1


NEOLUX®
GERMAN TECHNOLOGY



NEOLUX
Halogen Headlamps
H1 Cap P14.5s

Part No.	Qty	Volts/Watts	ECE No.
EB466	10	24V 70W	H1


NEOLUX®
GERMAN TECHNOLOGY



NEOLUX
Halogen Headlamps
H3 Cap PK22s

Part No.	Qty	Volts/Watts	ECE No.
EB453	10	12V 55W	H3

NEOLUX®
GERMAN TECHNOLOGY



NEOLUX
Halogen Headlamps
H3 Cap PK22s

Part No.	Qty	Volts/Watts	ECE No.
EB460	10	24V 70W	H3

NEOLUX®
GERMAN TECHNOLOGY



NEOLUX
Halogen Headlamps
H7 Cap Px26d

Part No.	Qty	Volts/Watts	ECE No.
EB477	10	12V 55W	H7

NEOLUX®
GERMAN TECHNOLOGY



NEOLUX
Halogen Headlamps
H7 Cap Px26d

Part No.	Qty	Volts/Watts	ECE No.
EB474	10	24V 70W	H7

NEOLUX®
GERMAN TECHNOLOGY



NEOLUX
Halogen Headlamps
H4 Cap P43t

Part No.	Qty	Volts/Watts	ECE No.
EB472	10	12V 60/55W	H4

NEOLUX®
GERMAN TECHNOLOGY



NEOLUX
Halogen Headlamps
H4 Cap P43t

Part No.	Qty	Volts/Watts	ECE No.
EB475	10	24V 75/70W	H4

RING®

RING 12V Compact Wall Bulb Dispenser Single Boxed Bulbs

Complete with 175 Bulbs.
Dimensions (H x W x D):
530 x 550 x 85 mm.

- Top 16 fast-moving 12V boxed Auto Bulbs
- Eye-catching stand
- Boxed and pre-merchandised with 175 bulbs
- Gravity fed
- Wall mounted complete with fitting template
- 16 columns of bulbs
- All bulbs are 'E' marked where appropriate
- All bulbs bar-coded

Part No.	Qty	Description				
ERU175	1 Set	12V Bulb Wall Dispenser				
Contents:	13 x ERB207S	13 x ERB239	13 x ERB245S	13 x ERB286	13 x ERB501	13 x ERB501A
	13 x ERB95S	10 x ERB380	10 x ERB382	10 x ERB566	10 x ERB580	10 x ERB581
	10 x ERB582	10 x ER448	8 x ER477	6 x ER472		

12V



RING®


RING 24V Compact Wall Bulb Dispenser Single Boxed Bulbs

Complete with 174 bulbs.
Dimensions: H x W x D:
537 x 550 x 84 mm.

- Top 16 fast-moving 24V boxed Auto Bulbs
- Eye-catching stand
- Boxed and pre-merchandised with 174 bulbs
- Gravity fed
- Wall mounted complete with fitting template
- 16 columns of bulbs
- All bulbs are ECE Reg 37 approved
- All bulbs bar-coded


Part No.	Qty	Description				
ERU274	1 Set	24V Bulb Wall Dispenser				
Contents:	13 x ERB149	13 x ERB150	13 x ERB242	13 x ERB246	13 x ERB249	13 x ERB505
	13 x ERB507	10 x ERB241	10 x ERB290	10 x ERB294	10 x ERB346	10 x ER535
	10 x ER466	10 x ER460	7 x ER474	6 x ER475		

24V



workshop warehouse®

Helping to maintain industry



Your Distributor